



Spare parts for:

Ovens

Suitable for:

RATIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

RATIONAL



Suitable for:

Alarms

3397302 ALARM BELL 220V
for Convection oven (CONVOTHERM)



RATIONAL 30060101

3397204 ALARM BUZZER SET 12V 50Hz
cable length 395 mm
for Convection oven (RATIONAL)
since 1/06/97
Series CM - Series CPC - Series SCC



RATIONAL 30060107

RATIONAL 4002087

RATIONAL 8700136

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



RATIONAL

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



RATIONAL 31011008

3240916 AXIAL VENTILATOR 127x127x38 mm
25W 12V
for Convection oven electric (RATIONAL)
since 1/04/04
SCC201 - SCC202



RATIONAL 4000474

Castors, rollers and accessories

3346080 WHEEL WITH BRAKE $\varnothing$ 125 mm
zinc-plated wheel support



RATIONAL 20050600



Suitable for:

RATIONAL



Suitable for:

Centrifigal fans

3240758 MOTOR FAN RG100/1000-2012 25W 230V

50/60Hz

for Convection oven gas (RATIONAL)

since 1/01/01

Series CM - Series CPC



RATIONAL 31011016

3240764 MOTOR FAN RG130/0800-3612 230/240V

50/60Hz

for Convection oven gas (RATIONAL)

since 1/01/01

Series CM - Series CPC



RATIONAL 31011017

RATIONAL 31011017P

3240759 MOTOR FAN RG130/0800-3612 50W 230V

50Hz

for Convection oven gas (RATIONAL)

since 1/04/04

Series SCC



RATIONAL 7000028

3240760 MOTOR FAN RG148/1200-3633-010203

140W 230V 50/60Hz

for Convection oven gas (RATIONAL)

since 1/04/04

Series SCC



RATIONAL 7000067

3240480 MOTOR VENTILAT.RG100/1100-2012 200W 24V

for gas burner

for Convection oven gas (RATIONAL)



RATIONAL 1004849

RATIONAL 31011011

RATIONAL 87201418

Contact thermostats

3443026 CONTACT THERMOSTAT 110°C M4

for Convection oven (RATIONAL)

since 1/06/97

Series CM - Series CP



RATIONAL 30140325



Suitable for:

RATIONAL



Suitable for:


Contactors

3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
0.55Kw / 1÷1.6A
3 normally open contacts



RATIONAL 30310105

3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.1Kw / 1.6÷2.5A
3 normally open contacts




RATIONAL 30310107

3351260 AUXILIARY CONTACT AEG HS05.01
10A
1 normally closed contact



RATIONAL 30280158

3397403 AUXILIARY CONTACT AEG HS9.11
6A
1 normally open contact
1 normally closed contact



RATIONAL 30310102

RATIONAL 30310108

3454032 AUXILIARY CONTACT BCLF10
1 normally open contact
1 normally close contact
for Convection oven (FRIMA)
since 1/06/97
for Convection oven (RATIONAL)
since 1/06/97



RATIONAL 30280560

3454012 CONTACTOR ABB A30-30-10 30A 400V 15Kw
coil 230V 50/60Hz
3 normally open contacts
2 normally open auxiliary contacts
for OVEN



RATIONAL

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



RATIONAL 30280500

RATIONAL 30280501

3351260 AUXILIARY CONTACT AEG HS05.01
10A
1 normally closed contact



RATIONAL 30280158



RATIONAL



Suitable for:

3351210 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



RATIONAL 30280504

Suitable for:

3351260 AUXILIARY CONTACT AEG HS05.01
10A
1 normally closed contact



RATIONAL 30280158

3351220 CONTACTOR AEG LS11K 25A 230V 11Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



RATIONAL 30280510

3351221 CONTACTOR AEG LS15K 32A 230V 16Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



RATIONAL 30280512

RATIONAL 30280554

3351222 CONTACTOR AEG LS22K 50A 230V 22Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact
for Convection oven (FRIMA)
for Convection oven (RATIONAL)



RATIONAL 30280513

3351223 CONTACTOR AEG LS30K 65A 230V 30Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



RATIONAL 30280515

3351211 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact
for Convection oven (FRIMA)
since 1/06/97
for Convection oven (RATIONAL)
since 1/06/97



RATIONAL 30280506

RATIONAL 30280551

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



RATIONAL 30280550

RATIONAL 30280507

RATIONAL 30280550



Suitable for:

RATIONAL



3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



RATIONAL 30280508

RATIONAL 30280552

RATIONAL 30280557

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



RATIONAL 30280509

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



RATIONAL 30280517

3397404 THERMAL MOTOR PROTECTION
contact capacity 240V
operating power 0.05A
for Convection oven electric (RATIONAL) CD101
CD102 - CD201 - CD202 - CD61 - CM101 - CM102
CM201 - CM202 - CM61 - CPC101 - CPC102
CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM102G
CM201G - CM202G - CM61G - CPC101G - CPC102G
CPC201G - CPC202G - CPC61G



RATIONAL 1010670

RATIONAL 30140400

RATIONAL 30140402

Detergents

3092240 OVEN CLEANING TABLETS
100 tablets jar - total weight 6 kg
for OVEN



RATIONAL 5000012

RATIONAL 5600210

3092241 OVEN RINSE AID CLEANING TABLETS
50 tablets jar - total weight 3 kg
for OVEN



RATIONAL 5600211

Drain pumps

3122404 DRAIN ELECTRIC PUMP BE28B4-178 LH
100W 230V 50Hz
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

5037766 DRAIN ELECTRIC PUMP DPS35-038 47W
200/240V 50/60Hz 0.5A
inlet external $\varnothing$ 24 mm - outlet external $\varnothing$ 24 mm
for Convection oven electric (RATIONAL) SCC101E
SCC102E - SCC61E - SCC62E
for Convection oven gas (RATIONAL) SCC101G
SCC102G - SCC61G - SCC62G



RATIONAL 8700352



Suitable for:

3122777 DRAIN ELECTRIC PUMP HANNING DPS25R
43W 200/240V 50/60Hz 0.4A FZ98
inlet external ø 30 mm - outlet external ø 24 mm
for Convection oven electric (RATIONAL)
Series CD - Series CM - Series CPC - Series SCC
for Convection oven gas (RATIONAL) - Series CD
Series CM - Series CPC - Series SCC



RATIONAL 1003334
RATIONAL 4400207

RATIONAL 3002100S
RATIONAL 4400207P

RATIONAL 3002100SP

Suitable for:

3122745 DRAIN ELECTRIC PUMP UP30-890
100W 230V 50/60Hz-capacitor 2.5 µf
inlet external ø 24 mm - outlet external ø 24 mm
for Convection oven electric (RATIONAL)
since 1/04/04
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E
SCC62E
for Convection oven gas (RATIONAL)
since 1/04/04
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G
SCC62G



RATIONAL 5600153

RATIONAL 5600153P

RATIONAL 5600185

3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz
inlet external ø 24 mm - outlet external ø 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

Drip trays for kitchens and ovens

3015043 DRIP TRAY
sizes 548x23x22 mm
for Convection oven (RATIONAL)



RATIONAL 84741377

Electrical gas valves and accessories

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



RATIONAL 30390205

3526181 VALVE VK4105C HONEYWELL ø 1/2"
inlet-outlet ø 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15 ÷ 60°C
power supply 220/240V 50Hz
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



RATIONAL 30390241



Suitable for:

RATIONAL



Suitable for:

3526219 VALVE VK4115V HONEYWELL ø 18 mm
inlet-outlet ø 18 mm unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷70°C
power supply 220/240V 50Hz
for Convection oven gas (RATIONAL)
since 1/01/01
Series CPC



RATIONAL 30390245

RATIONAL 30390245P

Electronic boxes

5039267 CONTROL BOX ARGUS 070-R1
complete with cables
230V
for Convection oven gas (RATIONAL) SCC101G
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 7400221

RATIONAL 8700577

3091017 CONTROL BOX S4560B1006
model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven electric (RATIONAL) CM101
CM201



RATIONAL 30390103

3091032 CONTROL BOX S4565BD1064
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (RATIONAL)
since 1/01/01
CPC



RATIONAL 30390107

RATIONAL 30390107P


3526403 CONTROL BOX S4565C1033U
model HONEYWELL - 230V 50/60Hz 4VA
for 6-20 grills
for Convection oven gas (ZANUSSI)



RATIONAL 30390105

Electronic printed-circuit boards

3390234 BYPASS BOARD 150x125 mm
for Convection oven (RATIONAL)
since 1/01/89
Series CCD - Series CD - Series CM - Series CPC




RATIONAL 1004933
RATIONAL 30402060

RATIONAL 30020400
RATIONAL 30403100

RATIONAL 30020408
RATIONAL 30403100ET

3390238 ELECTRONIC BOARD CPU 280x110 mm
for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC



RATIONAL 30400276
RATIONAL 30403001ET

RATIONAL 30403000
RATIONAL 30403001ET+...

RATIONAL 30403001



RATIONAL



Suitable for:

3390310 ELECTRONIC CONTROL BOARD 340x130 mm
for Convection oven (RATIONAL) - Series SCC



RATIONAL 4200002

RATIONAL 4200002P

Suitable for:

3390319 ELECTRONIC DISPLAY BOARD SET 375x120mm
complete with cable and control box
for Convection oven (RATIONAL)
since 1/04/04
till 1/01/06
Series CM - Series SCC



RATIONAL 4200004

RATIONAL 4200004P

RATIONAL 8700139

3390236 MOTOR ELECTRONIC BOARD 110x135x133 mm
for Convection oven (RATIONAL)
since 1/01/01
Series CPC



RATIONAL 30403040

RATIONAL 30403040P

3390380 RELAY ELECTRONIC BOARD 155x145 mm
with protection screen
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000049


RATIONAL 4200064P

3390235 USER ELECTRONIC BOARD 455x155 mm
for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC



RATIONAL 30403010

3390233 USER ELECTRONIC BOARD 460x155 mm
for Convection oven (RATIONAL)
since 1/01/97
Series CPC



RATIONAL 30403020

Electronic thermostats and controllers

3445375 THERMOSTAT ELIWELL IDPlus 902
230V 50/60Hz
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



RATIONAL 4001360



Suitable for:

RATIONAL



Suitable for:

Fans for motors

- 3240757 FAN ø 350 mm**
thickness 135 mm
total blades 12 - ø tapered hole 13-16.5 mm
for Convection oven electric (RATIONAL)
since 1/01/99
CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

Feet

- 3313016 ADJUSTABLE S/STEEL FOOT ø 1" x h 80 mm**
with plastic support for tubular foot 40x40 mm
adjustable height 23÷58 mm
max load 400 Kg



RATIONAL 20390111

Filters

- 3160348 AIR INLET FILTER 212x60 mm**
for Convection oven (RATIONAL)
since 1/06/97
Series CPC
for Convection oven electric (RATIONAL) CD101
CD102 - CD201 - CD202 - CD61 - CM202 - CM61
for Convection oven gas (RATIONAL) CM101G - CM61G



RATIONAL 20390337

RATIONAL 52141300

RATIONAL 84551377

- 3160501 AIR INLET FILTER 220x50 mm**
for Convection oven electric (RATIONAL) CM101E
CM102E - CM201E - CM202E - CM61E - CM62E
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E
SCC62E
for Convection oven gas (RATIONAL) CM101G - CM102G
CM201G - CM202G - CM61G - CM62G - SCC101G
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 1600673

RATIONAL 1601662

- 3160349 STAINLESS STEEL DRAIN FILTER ø 72 mm**
for Convection oven electric (RATIONAL)
since 1/01/00
CPC101 - CPC201 - CPC61



RATIONAL 20050302

RATIONAL 20050307



Suitable for:

Suitable for:

Fuses

3049020 DELAY FUSE 5x20 - 10 PCS
250V 6.3A



RATIONAL 30190200

3049065 DELAY FUSE 6.3x32 - 10 PCS
250V 6.3A



RATIONAL 40010224

3049049 QUICK ACTING FUSE 5x20 - 10 PCS
250V 2A



RATIONAL 30190120

3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



RATIONAL 30190112

3049034 QUICK ACTING FUSE 6.3x32 - 10 PCS
500V 10A



RATIONAL 40010225

Gaskets and seals

3786496 BOILER LEVEL GASKET 70x70x4 mm
for Convection oven electric (RATIONAL) CC101
CC20 - CC201 - CC6



RATIONAL 50120537

3786514 GASKET FOR CONTROL PANEL 590x185 mm
adhesive
with fastening clips
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 1600387

3186491 HEATING ELEMENT GASKET
external dimensions 82x82 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101003

3186492 HEATING ELEMENT GASKET
external dimensions 209x45 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101009



RATIONAL



Suitable for:

3186493 HEATING ELEMENT GASKET
external dimensions 146x83 mm
for Convection oven (RATIONAL)



RATIONAL 51101200

3786136 HEATING ELEMENT GASKET
external dimensions 80x82 mm
for Convection oven electric (RATIONAL)



RATIONAL 4400280

3786614 OVEN LAMP RECEPTACLE GASKET
dimensions 48x41x3 mm



RATIONAL 50120535

Suitable for:

3186757 HEATING ELEMENT GASKET
external dimensions 125x103 mm
for Convection oven electric (RATIONAL)



RATIONAL 4400279

3786497 MOTOR SHAFT GASKET
for Convection oven (RATIONAL)



RATIONAL 50020301

Gaskets for oven door

3786360 CARRIAGE STOP GASKET 460x160 mm
made of silicone elastomer - 3 sides
COLOUR BLACK
for Convection oven electric (RATIONAL) CCC201
CCD201 - CCM201



RATIONAL 51051015

3786470 CARRIAGE STOP GASKET 665x160 mm
made of silicone elastomer - 3 sides
COLOUR BLACK
for Convection oven electric (RATIONAL) CCC202
CCD202 - CCM202



RATIONAL 51051010



RATIONAL



Suitable for:

3786508 OVEN CARRIAGE GASKET 565 mm
made of silicone elastomer
profile dimensions 52x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/04/04
SCC201



RATIONAL 2400187

3786503 OVEN CARRIAGE GASKET 775 mm
made of silicone elastomer
profile dimensions 52x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/04/04
SCC202



RATIONAL 2400194

3286006 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

3286077 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOUR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

Suitable for:

3186482 OVEN CARRIAGE GASKET 610 mm
made of silicone elastomer
profile dimensions 60x12 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD201 - CM201N - CPC201



RATIONAL 1003278

RATIONAL 51051025

3786495 OVEN CARRIAGE GASKET 825 mm
made of silicone elastomer
profile dimensions 60x12 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD202 - CM202
CM202N - CPC202



RATIONAL 51051026

3286024 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL

3286006 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702



Suitable for:

RATIONAL



Suitable for:

- 3286005 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

- 3286083 OVEN DOOR GASKET - 3 m**
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL

- 3286023 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL

- 3286024 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL

- 3286005 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven electric (RATIONAL) CC20
CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

- 3286023 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL



Suitable for:

Suitable for:

3786021 OVEN DOOR GASKET 1475x475 mm

made of silicone elastomer
profile dimensions 27x17 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/01/09
CM201E
SCC201E
for Convection oven gas (RATIONAL)
since 1/01/09
CM201G
SCC201G



RATIONAL 2000398

RATIONAL 2000398P

3786022 OVEN DOOR GASKET 1475x670 mm

made of silicone elastomer
profile dimensions 27x17 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/01/09
CM202E
SCC202E
for Convection oven gas (RATIONAL)
since 1/01/09
CM202G
SCC202G



RATIONAL 2000399

RATIONAL 2000399P

3186481 OVEN DOOR GASKET 1500x490 mm

made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD201
CM201N - CPC201 - CPC201E
for Convection oven gas (RATIONAL) CPC201G
CPC202G



RATIONAL 51051023

RATIONAL 51051023P

3786016 OVEN DOOR GASKET 1505x695 mm

made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD202
CM202N - CPC202 - CPC202E
for Convection oven gas (RATIONAL) CPC202G



RATIONAL 51051024

RATIONAL 51051024P

3186156 OVEN DOOR GASKET 485x470 mm

made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK
for Convection oven electric (RATIONAL) CC6 - CD6
CM6



RATIONAL 50120703

3786674 OVEN DOOR GASKET 500x470 mm

made of silicone elastomer
profile dimensions 28.5x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/11
CM61E - SCC61E
since 1/04/04
SCC61
for Convection oven gas (RATIONAL)
since 1/06/11
CM61G - SCC61G



RATIONAL 2000394

RATIONAL 2000394P


RATIONAL 2001800P



Suitable for:

Suitable for:

3786243 OVEN DOOR GASKET 520x470 mm
made of silicone elastomer
profile dimensions 23x22 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/05/93
till 1/05/97
CCD61 - CCM61
CCC61



RATIONAL 51051001

3186319 OVEN DOOR GASKET 530x473 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD61
CM61 - CPC61 - CPC61E
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC61G



RATIONAL 51051020

RATIONAL 51051020P

3786675 OVEN DOOR GASKET 680x500 mm
made of silicone elastomer
profile dimensions 28.5x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/11
CM62E - SCC62E
for Convection oven gas (RATIONAL)
since 1/06/11
CM62G - SCC62G



RATIONAL 2000395

RATIONAL 2000395P

RATIONAL 2001801P

3186155 OVEN DOOR GASKET 720x485 mm
made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK
for Convection oven electric (RATIONAL) CC101
CD101 - CM101
for Convection oven gas (RATIONAL) CM101G



RATIONAL 50120704

3786676 OVEN DOOR GASKET 760x470 mm
made of silicone elastomer
profile dimensions 28.5x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/11
CM101E - SCC101E
for Convection oven gas (RATIONAL)
since 1/06/11
CM101G - SCC101G



RATIONAL 2000396

RATIONAL 2001802P

3786677 OVEN DOOR GASKET 760x675 mm
made of silicone elastomer
profile dimensions 28.5x13 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/11
CM102E - SCC102E
for Convection oven gas (RATIONAL)
since 1/06/11
CM102G - SCC102G



RATIONAL 2001803P



Suitable for:

Suitable for:

3786020 OVEN DOOR GASKET 770x680 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
till 1/05/11
CM102E
SCC102E
for Convection oven gas (RATIONAL)
till 1/05/11
CM102G
SCC102G



RATIONAL 2000397

RATIONAL 2000397P

3186426 OVEN DOOR GASKET 780x470 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD101
CM101N - CPC101 - CPC101E
for Convection oven gas (RATIONAL) CM101G
CPC101G



RATIONAL 51051021

RATIONAL 51051021P

3186427 OVEN DOOR GASKET 785x470 mm
made of silicone elastomer
profile dimensions 23x22 mm
COLOUR BLACK
for Convection oven electric (RATIONAL) CCC101
CCD101 - CCM101



RATIONAL 51051004

3786015 OVEN DOOR GASKET 807x690 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD102
CM102N - CPC102 - CPC102E
for Convection oven gas (RATIONAL) CPC102G



RATIONAL 51051022

RATIONAL 51051022P

3286026 OVEN DRAWER GASKET - 21 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL 20120200
RATIONAL 50120551

RATIONAL 50120504

RATIONAL 50120550



RATIONAL



Suitable for:

Suitable for:

3286025 OVEN DRAWER GASKET - 7 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN
for Convection oven (RATIONAL)



RATIONAL 20120200
RATIONAL 50120551

RATIONAL 50120504

RATIONAL 50120550

3286026 OVEN DRAWER GASKET - 21 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN
for Convection oven (RATIONAL)




RATIONAL 20120200
RATIONAL 50120551

RATIONAL 50120504

RATIONAL 50120550

3786623 OVEN GLASS GASKET
made of silicone elastomer
profile dimensions 8x7 mm
COLOUR GREY
SOLD PER METRE
for Convection oven electric (KÜPPERSBUSCH) ECD110
for Convection oven electric (RATIONAL) CD101
CD20 - CM101 - CM6
for Convection oven gas (RATIONAL) CM61G



RATIONAL 50120200

3286048 OVEN GLASS GASKET - 25 m
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK
for Convection oven (RATIONAL)



RATIONAL 50120200

3286047 OVEN GLASS GASKET - 6 m
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK
for Convection oven (RATIONAL)



RATIONAL 50120200

3286048 OVEN GLASS GASKET - 25 m
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK
for Convection oven (RATIONAL)



RATIONAL 50120200

Gearmotors

3340149 HUMIDITY CONTROL MOTOR 12V
for Convection oven electric (RATIONAL) CPC101
CPC102 - CPC201 - CPC202 - CPC61 - SCC101E
SCC102E - SCC201E - SCC202E - SCC61E - SCC62E
for Convection oven gas (RATIONAL) CPC101G
CPC102G - CPC201G - CPC202G - CPC61G - SCC101G
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 31011010



Suitable for:

RATIONAL



Suitable for:

Glues

- 3392003 RED SILICONE SUPERSIL 60 ml**
temperature max +350°C
STRONG ADHESION
excellent for the sealing of parts exposed to
high temperatures, OVENS, MOTORS, STOVES, BOILERS
suitable as sealer for OVEN GASKETS



RATIONAL 50060200

RATIONAL 50060207

Handles

- 3242090 BASE FOR DOOR HANDLE**
for OVEN



RATIONAL 20160605

- 3242481 BRACKET FOR DOOR HANDLE STRIKE**
mounting distance 46 mm
for OVEN



RATIONAL 2400141

- 3242317 CLOSING DEVICE FOR DOOR HANDLE**
for OVEN



RATIONAL 20161452

- 3242604 COVER FOR DOOR LOCK**
for OVEN



RATIONAL 27601049

- 3242484 COVER FOR DOOR MECHANISM**
for Convection oven electric (RATIONAL)
since 1/04/04
SCC201 - SCC202



RATIONAL 2400216

- 3242320 DOOR CLOSING PLATE**
distance between mounting holes 68 mm
for OVEN



RATIONAL 20161300

- 3242480 DOOR HANDLE INTERNAL HINGE UNIT**
for OVEN



RATIONAL 2400176

- 3242476 DOOR HANDLE PIN 47 mm**
for OVEN



RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314



Suitable for:

3242465 DOOR HANDLE SPRING
for OVEN



RATIONAL 2401100

Suitable for:

3242478 LOCK CLAMP FOR OVEN DOOR
for OVEN



RATIONAL 1010833

RATIONAL 29401305

3242316 OVEN DOOR CLOSING SUPPORT
distance between mounting holes 32-90 mm
for OVEN



RATIONAL 20161457

3242471 OVEN DOOR HANDLE
for Convection oven electric (RATIONAL) CC20
CC201 - CD20 - CD201 - CM20 - CM201
for Convection oven gas (RATIONAL) CM21G



RATIONAL 20161412

RATIONAL 20161450

3242090 BASE FOR DOOR HANDLE
for OVEN



RATIONAL 20160605

3242317 CLOSING DEVICE FOR DOOR HANDLE
for OVEN



RATIONAL 20161452

3242320 DOOR CLOSING PLATE
distance between mounting holes 68 mm
for OVEN



RATIONAL 20161300

3242316 OVEN DOOR CLOSING SUPPORT
distance between mounting holes 32-90 mm
for OVEN



RATIONAL 20161457

3242466 PLASTIC RING $\varnothing$ 56x40x2 mm
for OVEN



RATIONAL 20161453



Suitable for:

3242318 STRIKE FOR DOOR HANDLE
distance between mounting holes 68 mm
for OVEN



RATIONAL 20160604

RATIONAL



Suitable for:

3242241 STRIKE FOR OVEN RIGHT HANDLE
distance between mounting holes 67 mm
for OVEN



RATIONAL 20160603

3242472 OVEN DOOR HANDLE
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD61
CCC101 - CCC61 - CCD61 - CCM101 - CCM61 - CM101
CM101N - CM102 - CM102N - CM61 - CPC101
CPC102 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM102G
CM61G - CPC101G - CPC102G - CPC61G



RATIONAL 20161500

RATIONAL 20161504

3242475 OVEN DOOR LOCK
for OVEN



RATIONAL 1003536

RATIONAL 84741300

3242473 OVEN DOOR HANDLE
for Convection oven electric (RATIONAL)
since 1/06/97
CD201 - CD202
CCC102 - CCC201 - CCC202 - CCD102 - CCD201
CCD202 - CCM102 - CCM201 - CCM202 - CM201
CM201N - CM202 - CM202N - CPC201 - CPC202
for Convection oven gas (RATIONAL) CM201G - CM202G
CPC201G - CPC202G



RATIONAL 20161507

3242476 DOOR HANDLE PIN 47 mm
for OVEN



RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314

3242312 STRIKE FOR OVEN HANDLE
distance between mounting holes 15 mm
for Convection oven electric (RATIONAL) CC101
CC6 - CD101 - CD6 - CM101 - CM6
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610

3242474 OVEN DOOR LOCK
for OVEN



RATIONAL 84741410



Suitable for:

RATIONAL



3242477 STRIKE FOR DOOR HANDLE
distance between mounting holes 52 mm
for OVEN



RATIONAL 1003540

RATIONAL 85141307

3242479 OVEN DOOR HANDLE
for Convection oven electric (RATIONAL)
since 1/10/08
CM101E - CM102E - CM61E - CM62E
SCC101E - SCC102E - SCC61E - SCC62E
for Convection oven gas (RATIONAL)
since 1/10/08
CM101G - CM102G - CM61G - CM62G
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 2400152

3242480 DOOR HANDLE INTERNAL HINGE UNIT
for OVEN



RATIONAL 2400176

3242482 PIN FOR OVEN DOOR HANDLE 43 mm
for OVEN



RATIONAL 2400142

Suitable for:

3242481 BRACKET FOR DOOR HANDLE STRIKE
mounting distance 46 mm
for OVEN



RATIONAL 2400141

3242465 DOOR HANDLE SPRING
for OVEN



RATIONAL 2401100

3242464 PLATE FOR DOOR HANDLE LOCK
for Convection oven (RATIONAL)
since 1/04/04
SSC61.102



RATIONAL 2400504



Suitable for:

3242483 OVEN DOOR HANDLE

for Convection oven electric (RATIONAL)
since 1/10/08
CM201E - CM202E
SCC201E - SCC202E
for Convection oven gas (RATIONAL)
since 1/10/08
CM201G - CM202G
SCC201G - SCC202G



RATIONAL 2400136

3242478 LOCK CLAMP FOR OVEN DOOR for OVEN



RATIONAL 1010833

RATIONAL 29401305

3242477 STRIKE FOR DOOR HANDLE

distance between mounting holes 52 mm
for OVEN



RATIONAL 1003540

RATIONAL 85141307

3242051 OVEN DOOR HANDLE 176x28 mm

handle mounting holes distance 121 mm
for OVEN



RATIONAL

3242311 OVEN DOOR HANDLE 280x30 mm

handle mounting holes distance 123-136 mm
for Convection oven electric (RATIONAL) CC101
CC6 - CD101 - CD6 - CM101 - CM6
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20161100

Suitable for:

3242484 COVER FOR DOOR MECHANISM

for Convection oven electric (RATIONAL)
since 1/04/04
SCC201 - SCC202



RATIONAL 2400216

3242474 OVEN DOOR LOCK for OVEN



RATIONAL 84741410

3242052 STRIKE FOR DOOR HANDLE

distance between mounting holes 33 mm
for OVEN



RATIONAL

3242312 STRIKE FOR OVEN HANDLE

distance between mounting holes 15 mm
for Convection oven electric (RATIONAL) CC101
CC6 - CD101 - CD6 - CM101 - CM6
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610



Suitable for:

3242474 OVEN DOOR LOCK
for OVEN



RATIONAL 84741410

Suitable for:

3242475 OVEN DOOR LOCK
for OVEN



RATIONAL 1003536

RATIONAL 84741300

3242482 PIN FOR OVEN DOOR HANDLE 43 mm
for OVEN



RATIONAL 2400142

3242466 PLASTIC RING ø 56x40x2 mm
for OVEN



RATIONAL 20161453

3242464 PLATE FOR DOOR HANDLE LOCK
for Convection oven (RATIONAL)
since 1/04/04
SSC61.102



RATIONAL 2400504

3242181 RIGHT OVEN DOOR HANDLE
for Convection oven (CONVOTHERM) OD06.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OSG20.20
for Convection oven electric (CONVOTHERM) OD10.10
OS06.10 - OS10.10 - OS10.20 - OS12.20
OS20.10 - OS20.20



RATIONAL

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



RATIONAL

3242318 STRIKE FOR DOOR HANDLE
distance between mounting holes 68 mm
for OVEN



RATIONAL 20160604

3242477 STRIKE FOR DOOR HANDLE
distance between mounting holes 52 mm
for OVEN



RATIONAL 1003540

RATIONAL 85141307

3242312 STRIKE FOR OVEN HANDLE
distance between mounting holes 15 mm
for Convection oven electric (RATIONAL) CC101
CC6 - CD101 - CD6 - CM101 - CM6
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 20160610



Suitable for:

RATIONAL



- 3242241 STRIKE FOR OVEN RIGHT HANDLE**
distance between mounting holes 67 mm
for OVEN



RATIONAL 20160603


Heating elements

- 3755743 BOILER HEATING ELEMENT 9000W 230V**
immersed length 385 mm
with bulb sheath
flange exter.ø 64/47.5 mm - complete with cables
for Convection oven electric (CONVOTHERM)



RATIONAL

- 3755737 EXTERNAL HEATING ELEMENT 9000W 230V**
external ø 450 mm
couplings M14x1.5 mm
for Convection oven electric (RATIONAL) CD101
CD201



RATIONAL 30043528

- 3755735 EXTERNAL HEATING ELEMENT 9000W 400V**
external ø 450 mm
couplings M14x1.5 mm
for Convection oven electric (RATIONAL) CC101
CC201 - CM101 - CM201



RATIONAL 30043530

- 3755739 HEATING ELEMENT FOR BOILER 9000W 230V**
immersed length 225 mm
mounting distance 64 mm - flange 82x72 mm
for Convection oven electric (RATIONAL) CCC101
CCC61 - CCD101 - CCD102 - CCD61 - CCM102
CCM61



RATIONAL 32011200

RATIONAL 32011206

- 3186491 HEATING ELEMENT GASKET**
external dimensions 82x82 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101003



Suitable for:

RATIONAL



Suitable for:

3355717 HEATING ELEMENT 15000W 230V
external ø 575 mm - height 210 mm
2 flanges 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD102 - CD202
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CPC102 - CPC202



RATIONAL 32001002

RATIONAL 32001013

3186492 HEATING ELEMENT GASKET
external dimensions 209x45 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101009

3755804 HEATING ELEMENT 18000W 230/400V
for steam generator
immersed length 195 mm
flange 122x101 mm - with bulb sheath
complete with cables
for Convection oven electric (RATIONAL)
since 1/04/04
SCC102E - SCC201E - SCC202E - SCC62E
CM102E - CM201E - CM202E - CM62E



RATIONAL 4400195

RATIONAL 8700367

3186757 HEATING ELEMENT GASKET
external dimensions 125x103 mm
for Convection oven electric (RATIONAL)



RATIONAL 4400279

3355710 HEATING ELEMENT 2000W 230V
length 520 mm - width 90 mm
couplings ø 14 mm
for Convection oven electric (RATIONAL) CD101
CD201 - CM101 - CM201



RATIONAL 30041403

RATIONAL 30041411

3355712 HEATING ELEMENT 2500W 230V
length 510 mm - width 140 mm
couplings ø 14 mm
for Convection oven electric (RATIONAL) CD20
CM20



RATIONAL 30041004

3355713 HEATING ELEMENT 2500W 400V
length 510 mm - width 140 mm
couplings ø 14 mm
for Convection oven electric (FRIMA)
for Convection oven electric (RATIONAL)



RATIONAL 30044301

3355701 HEATING ELEMENT 3000W 230V
immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC6 - CD20
CD6 - CM20 - CM6



RATIONAL 30043506

RATIONAL 30044306

RATIONAL 30044113

RATIONAL 30044146



Suitable for:

3355703 HEATING ELEMENT 3000W 400V
immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC20
CM20



RATIONAL 30043509

RATIONAL 30044303

Suitable for:

3355702 HEATING ELEMENT 6000W 230V
immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC6
CD101 - CD20 - CD201 - CD6 - CM02 - CM101
CM201 - CM6



RATIONAL 30043505
RATIONAL 30044305

RATIONAL 30044112

RATIONAL 30044136

3355708 HEATING ELEMENT 6000W 230V
immersed length 365 mm - width 65 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC6
CD101 - CD20 - CD201 - CD6 - CM6



RATIONAL 30044155
RATIONAL 30044163

RATIONAL 30044156

RATIONAL 30044162

3455342 HEATING ELEMENT 6000W 230V
immersed length 355 mm - width 65 mm
flange 80x28 mm - complete with thermocouple probe
completa di sonda termocoppia
for Convection oven electric (RATIONAL) CC6
CD101 - CD20 - CD201 - CD6 - CM101 - CM20
CM201 - CM6



RATIONAL 30043516
RATIONAL 30044114

RATIONAL 30044105
RATIONAL 30044121

RATIONAL 30044108
RATIONAL 30044307

3355704 HEATING ELEMENT 6000W 400V
immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CC101
CC20 - CC201 - CM101 - CM20 - CM201



RATIONAL 30043508

RATIONAL 30044302

3355709 HEATING ELEMENT 6000W 400V
immersed depth 375 mm - width 65 mm
flange 80x28 mm
for Convection oven electric (RATIONAL) CCM101
CC101 - CC20 - CC201 - CM20 - CM201



RATIONAL 30044157
RATIONAL 30044165

RATIONAL 30044158

RATIONAL 30044164

3455331 HEATING ELEMENT 6000W 400V
immersed length 365 mm - width 65 mm
flange 80x28 mm . complete with thermocouple probe
with bulb sheath
for Convection oven electric (RATIONAL) CC101
CC20 - CC201 - CM20 - CM201



RATIONAL 30043518
RATIONAL 30044117
RATIONAL 30044304+30043518

RATIONAL 30043518+30044304
RATIONAL 30044120

RATIONAL 30043522
RATIONAL 30044304



Suitable for:

3455224 HEATING ELEMENT 9000W 230/400V
immersed length 190 mm
flange 82x82 mm - with bulb sheath
complete with cables
for Convection oven electric (RATIONAL) CM101E
CM61E - SCC101E - SCC61E



RATIONAL 4400194

RATIONAL 4400534

RATIONAL 8700366

Suitable for:

3786136 HEATING ELEMENT GASKET
external dimensions 80x82 mm
for Convection oven electric (RATIONAL)



RATIONAL 4400280

3355707 HEATING ELEMENT 9000W 230V
immersed length 200 mm
flange 82x82 mm
with bulb sheath - recommended probe 3397083
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202
CCD61 - CCM101 - CCM201 - CCM202 - CCM61
CM101M - CM202N - CM61 - CPC102 - CPC201
CPC202 - CPC61



RATIONAL 32001200

RATIONAL 32011000

RATIONAL 32011004

RATIONAL 4400280

RATIONAL 32011009

RATIONAL 87201590



3355714 HEATING ELEMENT 9000W 230V
external $\varnothing$ 325 mm - height 190 mm
couplings $\varnothing$ 14 mm
for Convection oven electric (RATIONAL) CC6 - CD6
CM6
for Convection oven electric (KÜPPERSBUSCH) ECD106



RATIONAL 30043507

RATIONAL 30043515

RATIONAL 30043524

RATIONAL 30044326

RATIONAL 30353524



Suitable for:

Suitable for:

3355715 HEATING ELEMENT 9000W 230V

external $\varnothing$ 455 mm - height total 210 mm
flange 220x24 mm
for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201
CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201
CM201N-CM101N
for OVEN CD61/CD101/CD201 SINCE JUNE 97
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201 - CD61
CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61
CCM101 - CCM201 - CCM61 - CM101N - CM201N
CM61 - CPC101 - CPC201 - CPC61



RATIONAL 32001000

3186492 HEATING ELEMENT GASKET


external dimensions 209x45 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101009

3355716 HEATING ELEMENT 9000W 230V

external $\varnothing$ 500 mm - height 130 mm
flange 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201
CCC101 - CCC201 - CCD101 - CCD201 - CCM101
CCM201 - CM101N - CM2014N - CPC101 - CPC201



RATIONAL 32001001

RATIONAL 32001009

RATIONAL 87201595

3186492 HEATING ELEMENT GASKET

external dimensions 209x45 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101009

3755745 INTERNAL HEATING ELEMENT 15000W 230V

$\varnothing$ external 650 mm
D shaped flange 210x25 mm - faston fittings
for Convection oven electric (RATIONAL)
since 1/06/97
CD202
since 1/05/97
CD102
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CM202N - CPC102 - CPC202



RATIONAL 32001003

RATIONAL 32001017

3186492 HEATING ELEMENT GASKET

external dimensions 209x45 mm
for Convection oven (FAGOR)
for Convection oven (RATIONAL)



RATIONAL 51101009



Suitable for:

RATIONAL



3755738 INTERNAL HEATING ELEMENT 9000W 230V

external ø 400 mm
couplings M14x1.5 mm
for Convection oven electric (RATIONAL) CD101
CD201



RATIONAL 30043529

Suitable for:

3755736 INTERNAL HEATING ELEMENT 9000W 400V

external ø 400 mm
couplings M14x1.5 mm
for Convection oven electric (RATIONAL) CC101
CC201 - CM101 - CM201



RATIONAL 30043531

Hinges, catches and accessories

3053446 PIN FOR OVEN TOP HINGE

for Convection oven electric (RATIONAL)
since 1/04/04
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E
SCC62E
for Convection oven gas (RATIONAL)
since 1/04/04
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G
SCC62G



RATIONAL 2400048

Hose reels

3359292 BLACK SHOWER CASE

for Convection oven (RATIONAL)
since 1/01/04
Series SCC



RATIONAL 5000130

3359143 BLACK SHOWER CASE ø 1/2" M

for Convection oven (FRIMA) FCM101
for Convection oven (RATIONAL) - Series CPC



RATIONAL 20600215

RATIONAL 20601000

RATIONAL 20601006

3359144 SPRAY HEAD FASTENING



RATIONAL 20601210



RATIONAL



Suitable for:

3359289 SHOWER COILER UNIT
with pipe 210 cm
for Convection oven electric (RATIONAL) CPC201
CPC202
for Convection oven gas (RATIONAL) CPC201G
CPC202G



RATIONAL 86552020

RATIONAL 86552020P

RATIONAL 86552021

Suitable for:

3359296 SHOWER UNIT
with pipe 100 cm
for Convection oven electric (RATIONAL)
since 1/01/04
till 1/01/04
SCC101E - SCC102E - SCC61E - SCC62E
for Convection oven gas (RATIONAL)
since 1/01/04
till 1/01/04
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 5000140P

RATIONAL 5001238P

3359144 SPRAY HEAD FASTENING



RATIONAL 20601210

Hydraulic plumbing

3450209 RUBBER PIPE $\varnothing$ 13x20 mm - 40 m
operating temperature -40+100°C



RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m
operating temperature -40+100°C



RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

1449689 SILICONE HOSE $\varnothing$ 10x13 SHORE 60 - 10 m
alimentary



RATIONAL 21101008

Interference suppression filters

3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240
72-240V



RATIONAL 30350517



Suitable for:

RATIONAL



Suitable for:

Ironmongery (screws,nuts,washers)

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588
for Convection oven (FRIMA) CD6



RATIONAL 11060160

RATIONAL 11060803

3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592
dimensions $\varnothing$ 12x6.4x1.6 mm



RATIONAL 13060120

Knobs

3241361 BLACK KNOB $\varnothing$ 40 mm
round hole $\varnothing$ 6 mm with fastening screw
for timer
for Convection oven (RATIONAL) - Series CM



RATIONAL 30130325

3241363 BLACK KNOB $\varnothing$ 50 mm
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130113

3241677 BLACK KNOB $\varnothing$ 50 mm
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL)
since 1/01/04
Series CM - Series SCC



RATIONAL 1600282

3241362 BLACK KNOB $\varnothing$ 50 mm 10-120'
D-shaped hole 6x4.6 mm
for timer
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130108

3241359 BLACK KNOB $\varnothing$ 50 mm 5-120'
D-shaped hole 6x4.6 mm
for timer
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130105

3241358 BLACK KNOB $\varnothing$ 50 mm 60-300°C
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL) - Series CD



RATIONAL 1003339

RATIONAL 30130201



RATIONAL



Suitable for:

3241279 BLUE KNOB ø 52 mm
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL) - Series CCD
Series CCM



RATIONAL 1003340

RATIONAL 30130344

Suitable for:

3242675 BLUE KNOB ø 60 mm
D-shaped hole 6x4.6 mm
for Convection oven (RATIONAL) - Series CD
Series CPC



RATIONAL 1003341

RATIONAL 30130355

3241360 GREY KNOB ø 40 mm
D-shaped hole 6x4.6 mm
for timer
for Convection oven (RATIONAL) - Series CCD
Series CCM - Series CM



RATIONAL 30130330

3241696 GREY KNOB ø 70 mm
round hole ø 5 mm
for Convection oven (RATIONAL)
Series SCC DAL 2004



RATIONAL 1600232

Lamps

3221413 EXTERNAL GASKET F/GLASS LAMP RECEPTACLE
external dimensions 80x65 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000093

3221423 EXTERNAL OVEN GASKET FOR LAMP RECEPTACLE
external dimensions 93x70 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003483

RATIONAL 51101022


3221429 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 115x90 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 85141007

RATIONAL 85141017

3221434 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 85x100 mm
complete with glass and glass gasket
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000091

RATIONAL 4000096



Suitable for:

RATIONAL



3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions $\varnothing$ 48x38x5 mm
for OVEN



RATIONAL

Suitable for:

3221428 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 96x73 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003487

RATIONAL 52011000

3221433 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 80x65 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000095

3221233 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 42 mm
for Convection oven (COVEN)
for Convection oven (GARBIN)
for Convection oven (RATIONAL)



RATIONAL 30250002

3221425 GREEN INDICATOR LAMP 1W 250V
wire connection length 95 mm - 120°C
for Convection oven (RATIONAL)
since 1/01/97
Series CD - Series CPC



RATIONAL 30240309


3221412 HALOGEN LAMP RECEPTACLE G4 10W 12V
wire connection length 130 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003539

RATIONAL 85141018

3221423 EXTERNAL OVEN GASKET FOR LAMP RECEPTACLE
external dimensions 93x70 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003483

RATIONAL 51101022



Suitable for:

3221429 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 115x90 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 85141007

RATIONAL 85141017

3221422 INTERNAL GASKET F/OVEN LAMP RECEPTACLE

external dimensions 100x75 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003484

RATIONAL 51101023

3221431 HALOGEN LAMP RECEPTACLE G4 10W 12V


wire connection length 150 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000098

3221434 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 85x100 mm
complete with glass and glass gasket
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000091

RATIONAL 4000096

RATIONAL



Suitable for:

3221428 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 96x73 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003487

RATIONAL 52011000

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V

for Convection oven electric (FAGOR) COE-061
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

3221413 EXTERNAL GASKET F/GLASS LAMP RECEPTACLE

external dimensions 80x65 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000093

3221433 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 80x65 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000095



Suitable for:

3221414 INTERNAL GASKET F/LAMP RECEPTACLE GLASS

external dimensions 83x70 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000094

RATIONAL



Suitable for:

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V

for Convection oven electric (FAGOR) COE-061
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

3221586 HEAT ORANGE INDICATOR LAMP 1W

wire connection
for Convection oven (RATIONAL)
since 1/05/93
Series CCD



RATIONAL 30240307

3221414 INTERNAL GASKET F/LAMP RECEPTACLE GLASS

external dimensions 83x70 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000094

3221422 INTERNAL GASKET F/OVEN LAMP RECEPTACLE

external dimensions 100x75 mm
for Convection oven (RATIONAL)
since 1/05/93
Series CPC



RATIONAL 1003484

RATIONAL 51101023

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for Convection oven (RATIONAL)
for Convection oven electric (TECNOEKA) KF1001GGAM
KF1001GIXALGAM - KF733 - KF912GA
KF912GRILLGA - KF912IXGA - KF913D - KF913DIX
KF9133DIX - KF933 - KF933U - KF937



RATIONAL 30230502

RATIONAL 30230506

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V


lamp glass ø 57 mm
mounting hole ø 42 mm
max temperature 300°C
for OVEN
for Convection oven electric (COVEN) TEC10 - TEC2
TEC3 - TEC4P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC6G - TEC7G



RATIONAL 30230501

3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



RATIONAL 30240200



RATIONAL



Suitable for:

3221252 NEON LAMP FOR OVEN Ba15d 7W 230V
dimensions $\varnothing$ 16x35 mm
for OVEN



RATIONAL 30250306

Suitable for:

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions $\varnothing$ 10x28 mm
for OVEN



RATIONAL 30240300

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
for Convection oven electric (FAGOR) COE-061
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



RATIONAL 30240201

RATIONAL 30240201P

3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



RATIONAL

3221163 ORANGE LAMP RECEPTACLE
head $\varnothing$ 15 mm - hole $\varnothing$ 10 mm



RATIONAL

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



RATIONAL 30240200

3221253 OVEN LAMP E14 6/10W 230V
dimensions $\varnothing$ 16x52 mm
for Convection oven (RATIONAL)



RATIONAL 30250304

3221625 OVEN LAMP RECEPTACLE $\varnothing$ 51 mm
for Convection oven (RATIONAL)



RATIONAL 30250002

3221251 OVEN LAMP 2W 24V
dimensions $\varnothing$ 10x25 mm
for Convection oven (RATIONAL)



RATIONAL 30240210

RATIONAL 30250210

3221427 RED INDICATOR LAMP 250V 1W
wire connection length 95 mm - 120°C
for Convection oven (RATIONAL)
since 1/01/97
Series CD - Series CPC



RATIONAL 30240310



Suitable for:

RATIONAL



Suitable for:

Level regulators

- 3341049 230V CARD LEVEL ADJUSTER SET**
230V 50/60Hz
NEW TYPE



RATIONAL 87201501

Level sensors

- 3341051 LEVEL PROBE 3 ELECTRODES ø 15 mm 108 mm**



RATIONAL 30020401

- 3341042 LEVEL PROBE 3 ELECTRODES ø 15 mm 112 mm**
for Convection oven (RATIONAL) - Series CM
Series CPC



RATIONAL 30020409

- 3341052 LEVEL PROBE 3 ELECTRODES ø 15 mm 130 mm**



RATIONAL 30020402

- 3341043 PROBE CONTAINER**
for Convection oven (RATIONAL) - Series CPC
Series SCC



RATIONAL 29201300

Microswitches


- 3240753 DOOR MAGNETIC MICROSWITCH MK12**
with cable length 1600 mm - head 32x7x15 mm
for Convection oven electric (RATIONAL)
since 1/01/04
till 1/01/04
SCC101 - SCC102 - SCC201 - SCC202 - SCC61
for Convection oven gas (RATIONAL)
since 1/01/04
till 1/01/04
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G



RATIONAL 4000335

RATIONAL 4000454

- 3240754 MAGNET FOR MICROSWITCH ø 10x40 mm**
for Convection oven electric (RATIONAL)
since 1/01/96
till 1/01/00
CPC101 - CPC102 - CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL)
since 1/01/96
till 1/01/00
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161409



Suitable for:

Suitable for:

3240437 **MAGNET FOR MICROSWITCH 25x12x9 mm**
for Convection oven (RATIONAL)



RATIONAL 30161412

3240436 **MAGNETIC MICRO SWITCH MK12**
with cable 4000 mm - head 32x15 mm
for Convection oven (FRIMA)
for Convection oven (RATIONAL)



RATIONAL 30161408

RATIONAL 30161415

3240437 **MAGNET FOR MICROSWITCH 25x12x9 mm**
for Convection oven (RATIONAL)



RATIONAL 30161412

3240763 **MAGNETIC MICROSWITCH ø 8x65 mm**
with cable length 2800 mm
for Convection oven electric (RATIONAL)
since 1/01/00
till 1/01/00
CPC101 - CPC202 - CPC61
CPC201 - CPC202
for Convection oven gas (RATIONAL)
since 1/01/00
till 1/01/00
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161417

RATIONAL 30161436

RATIONAL 30161437

RATIONAL 30161400

RATIONAL 30161403

RATIONAL 30161407

Motors

3240482 **GASKET KIT FOR MAIN SHAFT**
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563



Suitable for:

RATIONAL



Suitable for:

Motors

3340069 MOTOR FAN SET 0.45Kw 100/240V

TYPE EBM M3G084-FA22-16

for Convection oven electric (RATIONAL)

since 1/10/08

CM101E - CM102E - CM201E - CM202E - CM61E - CM62E

SCC101E - SCC102E - SCC201E - SCC202E - SCC61E

SCC62E

for Convection oven gas (RATIONAL)

since 1/10/08

CM101G - CM102G - CM201G - CM202G - CM61G - CM62G

SCC101G - SCC102G - SCC201G - SCC202G - SCC61G

SCC62G



RATIONAL 4000274

RATIONAL 4000274P

3340010 MOTOR SHAFT FLANGE

for Convection oven (RATIONAL)

since 1/04/04

Series SCC



RATIONAL 2200123

3240115 MOTOR HANNING L7ZAW4D-099 0.245Kw

230/415V 50/60Hz

for Convection oven (FRIMA) CD101 - CD201 - CD6

for Convection oven electric (HOBART) CS0611E

for Convection oven electric (KÜPPERSBUSCH) ECD106

ECD120

for Convection oven electric (RATIONAL) CC101

CC201 - CC6 - CD101 - CD20 - CD201 - CD6

CM101 - CM20 - CM201 - CM6



RATIONAL 30010400

RATIONAL 30010426

3240720 MOTOR HANNING L7ZAW4D-199 0.16/0.26Kw

220/240V - 50/60Hz 1.3A - 1420/1720rpm

capacitor 16 µf

for Convection oven electric (RATIONAL) CM101

CM201

for Convection oven gas (RATIONAL) CM62G



RATIONAL 30010441

3240116 MOTOR HANNING L9CW4D-161 0.37/0.58Kw

2.85/1.65A - 1400rpm - 230/415V 50Hz

for Convection oven electric (RATIONAL) CC20

CD20 - CM20



RATIONAL 30010403

RATIONAL 30010428

3240755 MOTOR HANNING L9CW4D-304 0.45/0.65Kw

220/240/380/415V 50Hz

1.9/1.1A - 1400rpm

for Convection oven electric (RATIONAL)

since 1/06/97

CD101 - CD201 - CD61

CM101 - CM101N - CM201 - CM201N - CM61



RATIONAL 31001021



Suitable for:

Suitable for:

3240761 MOTOR HANNING L9DW4D 0.87Kw 240V 60Hz
2.9A - 1730rpm
for Convection oven electric (RATIONAL)
since 1/12/01
CD101 - CD201 - CD61 - CM101 - CM201 - CM61
CPC101 - CPC201 - CPC61
for Convection oven gas (RATIONAL)
since 1/12/01
CM101G - CM61G



RATIONAL 1010303

RATIONAL 31001080

RATIONAL 31001083

3240762 MOTOR HANNING L9XW84D 0.45/0.66Kw
380/415V 50Hz - 0.4/1.15A - 700/1400rpm
for Convection oven electric (RATIONAL) CPC101
CPC201 - CPC61



RATIONAL 31001049

3240757 FAN ø 350 mm
thickness 135 mm
total blades 12 - ø tapered hole 13-16.5 mm
for Convection oven electric (RATIONAL)
since 1/01/99
CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

3340009 MOTOR HANNING L9XW84D-408 220/240V
P2: 80/450W P1: 140/660W
50Hz 0.7/2A - 700/1400rpm
for Convection oven electric (RATIONAL)
since 1/02/99
CPC102 - CPC202



RATIONAL 31001048

3786369 MOTOR AXIS SEALING GASKET
for Convection oven (RATIONAL)
since 1/11/90
Series CLASSIC 20



RATIONAL 50010211

3340010 MOTOR SHAFT FLANGE
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 2200123

3786497 MOTOR SHAFT GASKET
for Convection oven (RATIONAL)



RATIONAL 50020301



Suitable for:

3240756 MOTOR HANNING L9ZW84D-394 0.9/1.2Kw
380/415V - 50Hz 0.9/2.1A - 700/1380rpm
for Convection oven electric (KÜPPERSBUSCH) CBE220
for Convection oven electric (RATIONAL)
since 1/01/99
CPC102 - CPC202



RATIONAL 31001068

Suitable for:

3340010 MOTOR SHAFT FLANGE
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 2200123

Outlet solenoid valves and accessories

3356145 BOILER DRAIN VALVE
12 Vdc
for Convection oven electric (RATIONAL)
Series SCC
for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 5400357

RATIONAL 5401291

RATIONAL 8701191

3322303 COMPLETE CLIMA VALVE 12V DC
shaft $\varnothing$ 6 mm
for Convection oven electric (RATIONAL)
since 1/04/04
till 1/04/04
SCC101E - SCC102E - SCC61E - SCC62E
for Convection oven gas (RATIONAL)
since 1/04/04
till 1/04/04
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 2200318

Penetration probes

3397133 PENETRATION PROBE
10 wires - connector fitting
probe length 100 mm
cable length 1800 mm
with fastening coupling M15
for Convection oven (RATIONAL)
since 1/01/99
CPC



RATIONAL 30350714

RATIONAL 30350717

RATIONAL 30350715

RATIONAL 30350717ET

RATIONAL 30350716

3397134 PENETRATION PROBE
8 wires - connector fitting
probe length 110 mm
cable length 2200 mm
with fastening coupling M15
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000293

RATIONAL 4000606P

RATIONAL 4000294

RATIONAL 4001604

RATIONAL 4000606



Suitable for:

Suitable for:

3397157 PENETRATION PROBE
3 wires - connector fitting
bulb ø 3x97 mm
cable length 2100 mm - handle length 40 mm
with fastening coupling M15
for Convection oven electric (RATIONAL)
since 1/08/05
CM201E - CM202E
for Convection oven gas (RATIONAL)
since 1/08/05
CM201G - CM202G



RATIONAL 4002102 RATIONAL 4002102P RATIONAL 4002103

3397158 PENETRATION PROBE
8 wires - connector fitting
bulb ø 3x97 mm
cable length 2100 mm - handle length 40 mm
with coupling ø 15 mm
for Convection oven electric (RATIONAL)
since 1/08/05
SCC201E - SCC202E
for Convection oven gas (RATIONAL)
since 1/08/05
SCC201G - SCC202G



RATIONAL 4002100 RATIONAL 4002100P RATIONAL 4002101

3397052 PENETRATION PROBE PT100
2 wires - probe length 180 mm
cable length 3000 mm
with fastening coupling M12
for Convection oven (RATIONAL) - Series CD
Series CM



RATIONAL 30250608 RATIONAL 30350607 RATIONAL 30350608
RATIONAL 30350623 RATIONAL 30350703

3397071 PENETRATION PROBE PT100
2 wires - probe for hot compartment
probe length 100 mm
silicone cable length 1500 mm
for Convection oven (RATIONAL) - Series CD
Series CM



RATIONAL 30140151

3397056 PENETRATION PROBE THERMOCOUPLE K
2 wires - probe length 175 mm
cable length 3000 mm
with fastening coupling M10
for Convection oven (RATIONAL) - Series CC



RATIONAL 30350713 RATIONAL 30350700 RATIONAL 30350701
RATIONAL 30350702 RATIONAL 30350704 RATIONAL 30350709
RATIONAL 30350710

3397159 RIGHT PENETRATION PROBE
8 wires - connector fitting
bulb length 97 mm
cable length 2160 mm
with fastening coupling M16
for Convection oven electric (RATIONAL)
since 1/04/04
SCC201E - SCC202E
for Convection oven gas (RATIONAL)
since 1/04/04
SCC201G - SCC202G



RATIONAL 8700096



Suitable for:

RATIONAL



Suitable for:

Potentiometers

3057234 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm
for Convection oven (RATIONAL)
since 1/01/04
Series CM - Series SCC



RATIONAL 4000464

3057235 POTENTIOMETER

D-shaped pin 6x4.6 mm
for Convection oven (RATIONAL) - Series CCM
Series CM



RATIONAL 30400268

3057106 POTENTIOMETER SELECTOR SWITCH

D-shaped pin 6x4.6 mm - pin length 27 mm
for hot air
for Convection oven (RATIONAL)
till 30/04/89
Series CM



RATIONAL 30400150

3057107 POTENTIOMETER SELECTOR SWITCH

pin $\varnothing$ 6 mm - pin length 36 mm
for penetration probe
for Convection oven (RATIONAL)
till 30/04/89
Series CM



RATIONAL 30400151

3057231 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

pin $\varnothing$ 6 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000404

3057232 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (RATIONAL)
since 1/01/97
CPC101 - CPC102 - CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL)
since 1/01/97
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30400258

RATIONAL 88171303

Pressure switches

3320185 GAS PRESS.SWITCH CONTROL BOX HONEYWELL

250V 5A
for GAS OVENS from 10/97 to 11/00



RATIONAL 1003361

RATIONAL 30171004

3320157 PRESSURE SWITCH CLEANJET 6A 250V

for Convection oven (RATIONAL)
since 1/01/01
Series CPC



RATIONAL 30161418

RATIONAL 30161441



Suitable for:

RATIONAL



Suitable for:

Probes

3397156 BOILER STEAM TEMPERATURE PROBE

2 wires - connector fitting
cable length 1600 mm
for Convection oven gas (RATIONAL)
since 1/04/04
SCC101G - SCC102G - SCC202G



RATIONAL 4001095

3397196 BOILER TEMPERATURE PROBE

2 wires - connector fitting
probe length 118 mm
silicone cable length 1500 mm
for Convection oven electric (RATIONAL) CM101E
CM102E - CM201E - CM202E - CM61E - CM62E
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E
SCC62E



RATIONAL 1003414

RATIONAL 4000291

3397082 CHAMBER TEMPER.PROBE PT100 W/BY PASS

2 wires- for steam generator
probe length 80 mm
cable length 1800 mm
for Convection oven (RATIONAL) - Series CD
Series CM



RATIONAL 30140120

RATIONAL 30140150

RATIONAL 30140152

RATIONAL 30140159

3397197 CHAMBER TEMPERATURE PROBE

2 wires - connector fitting
probe length 110 mm
silicone cable length 1280 mm
with fastening coupling M8
for Convection oven electric (RATIONAL)
since 1/01/08
CM101E - CM102E - CM61E - CM62E - SCC101E
SCC102E - SCC61E - SCC62E



RATIONAL 4000395

RATIONAL 4000594

3397152 OLIVE FOR PROBE



RATIONAL 1013497

RATIONAL 30140162

3397132 SENSOR CDS 105 mm

for Convection oven (RATIONAL)
since 1/01/04
Series SCC



RATIONAL 30171050

RATIONAL 4400211



Suitable for:

Suitable for:

3397023 TEMPERATURE PROBE

2 wires - probe for thermocouple type chamber
probe length 110 mm
cable length 290 mm
with fastening fitting M8
for Convection oven electric (RATIONAL) CM101
CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102
CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM102G
CM201G - CM202G - CM61G - CPC101G - CPC102G
CPC201G - CPC202G - CPC61G



RATIONAL 1003351

RATIONAL 30141000

3397025 TEMPERATURE PROBE

2 wires - probe for thermocouple type chamber
probe length 120 mm
cable length 1800 mm
with fastening coupling M8
for Convection oven (RATIONAL)
since 1/06/97



RATIONAL 30141004

3397072 TEMPERATURE PROBE TCK

2 wires
probe length 130 mm
silicone cable length 2000 mm



RATIONAL 30140160

RATIONAL 87201003

3397083 TEMPERATURE PROBE TCK

2 wires -for steam generator
probe length 100 mm
cable length 2000 mm
for Convection oven (RATIONAL) - Series CD



RATIONAL 30140165

RATIONAL 30141011

RATIONAL 30141013

3397084 TEMPERATURE PROBE TCK

2 wires - for moist measurement
probe length 100 mm
cable length 2000 mm
probe ø 2 mm
with fastening connection M8
for Convection oven (RATIONAL) - Series CD



RATIONAL 30140161

RATIONAL 30141007

RATIONAL 87201002

3397153 THERMOCOUPLE TEMPERATURE PROBE B2

2 wires - connector fitting
bent bulb 53/20 mm
cable length 2550 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC
Series CM



RATIONAL 4000287

RATIONAL 4000398

RATIONAL 8700058

3397152 OLIVE FOR PROBE



RATIONAL 1013497

RATIONAL 30140162

Relays

3351016 RELAY CRYDOM S0B667330
for Convection oven (RATIONAL)
since 1/06/97
Series CPC - Series SCC



RATIONAL 30280533
RATIONAL 4000453P

RATIONAL 30280533P
RATIONAL 4001589

RATIONAL 4000453

3351101 TIME LIMIT RELAY CROUZET 0.7A 230V
timer 1"
for Convection oven (RATIONAL)



RATIONAL 30350404

Rotary switches

3057102 SELECTOR SWITCH 0-1 POSITIONS
4 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (RATIONAL) CD101
CD20 - CD201



RATIONAL 30161620

3057233 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (RATIONAL) CD101
CD20 - CD201 - CD6




RATIONAL 30161610

3057101 SELECTOR SWITCH 3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (RATIONAL) CD101
CD20 - CD201 - CD6



RATIONAL 30161300

3057103 SELECTOR SWITCH 3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (RATIONAL) CD101
CD20 - CD201 - CD6



RATIONAL 30161640

3057212 SELECTOR SWITCH 4 POSITIONS
contact capacity 16A 250V - 10A 400V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (MEIKO)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61



RATIONAL 30161613

3057104 SELECTOR SWITCH 5 POSITIONS
2 cams with board
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (RATIONAL) CM101
CM20 - CM201 - CM6
for Convection oven gas (RATIONAL) CM14G - CM21G
CM62G



RATIONAL 30161600

RATIONAL 30161630

RATIONAL 30161631



Suitable for:

RATIONAL



Suitable for:

Sensors

3390302 HUMIDIFICATION PRESSURE SENSOR 0-10 mbar



RATIONAL 30171001

RATIONAL 86801018

Sleeves

3450149 DELIVERY PIPE FOR OVEN WASH PUMP length 130 mm - external ø 28/24 mm internal ø 22/19 mm for Convection oven electric (RATIONAL) since 1/04/04 SCC101 - SCC102 - SCC61 - SCC62 for Convection oven gas (RATIONAL) since 1/04/04 SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 5600166

3450178 DRAIN HOSE 370 mm external ø 30 mm - internal ø 22 mm for Convection oven electric (RATIONAL) CD101 CD61 - CM61 - CPC61 for Convection oven gas (RATIONAL) CM101G - CM61G CPC101G - CPC61G



RATIONAL 21121302

3450177 DRAIN PIPE ø 20x62 mm - 2 PCS for drip tray for Convection oven electric (RATIONAL) since 1/01/08 CM101E - CM102E - CM61E - CM62E - SCC101E SCC102E - SCC61E - SCC62E for Convection oven gas (RATIONAL) since 1/01/08 CM101G - CM102G - CM61G - CM62G - SCC101G SCC102G - SCC61G - SCC62G



RATIONAL 5000303

3450182 EMPTYING HOSE 470 mm external ø 30 mm - internal ø 22 mm for Convection oven electric (RATIONAL) CD101 CD102 - CD201 - CD202 - CM101 - CM102 - CPC101



RATIONAL 21121303



RATIONAL



Suitable for:

3450146 OUTLET PIPE FOR OVEN WASHING PUMP
length 195 mm
external $\varnothing$ 28/25 mm - internal $\varnothing$ 21/18 mm
for Convection oven electric (RATIONAL)
since 1/04/04
SCC101 - SCC202
for Convection oven gas (RATIONAL)
since 1/04/04
SCC201G - SCC202G



RATIONAL 5600175

Suitable for:

3450179 SILICONE STEAM HOSE
external $\varnothing$ 60 mm
internal $\varnothing$ 50 mm
length 50 mm
for Convection oven (RATIONAL) - Series CD
Series CM - Series CPC - Series SCC



RATIONAL 21121006

3450148 SUCTION PIPE FOR OVEN WASHING
length 160 mm - external $\varnothing$ 29 mm
internal $\varnothing$ 23 mm
for Convection oven electric (RATIONAL) SCC101
SCC61
for Convection oven gas (RATIONAL) SCC101G
SCC61G



RATIONAL 5600188

3450147 SUCTION PIPE FOR OVEN WASHING PUMP
length 250 mm
external $\varnothing$ 28 mm - internal $\varnothing$ 23 mm
for Convection oven electric (RATIONAL)
since 1/04/04
SCC201 - SCC202
for Convection oven gas (RATIONAL)
since 1/04/04
SCC201G - SCC202G



RATIONAL 5600176

Solenoid valves

3120261 MULLER SOLENOID VALVE 230V $\varnothing$ 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - $\varnothing$ 12 mm outlet



RATIONAL 30020305

3120264 MULLER SOLENOID VALVE 230V $\varnothing$ 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - $\varnothing$ 12 mm n. 3 outlets
with cable length 2000 mm
for Steam oven (RATIONAL)



RATIONAL 30020311

RATIONAL 30020327

RATIONAL 30020328

3120363 SOLENOID VALVE 230V $\varnothing$ 10 mm
solen.valve 180° - 230V 50Hz - max 90°C
inlet 3/4" - two outlets $\varnothing$ 10 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 5000138

3120398 SOLENOID VALVE 230V $\varnothing$ 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - two outlets $\varnothing$ 10 mm
with cable length 2000 mm



RATIONAL 30020304



Suitable for:

3523088 SOLENOID VALVE 240V ø 11 mm
solenoid valve 180°-240V - 50/60Hz - max 90°C
inlet 3/4" - outlet ø 11 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC - Series VCC



RATIONAL 5000316

Suitable for:

3120550 SOLENOID VALVE 240V ø 11.5 mm
solenoid valve 180° - 240V 6W - max 90°C
inlet 3/4" - outlet ø 11.5 mm
for Convection oven electric (RATIONAL)
since 1/01/08
Series CM
for Convection oven gas (RATIONAL)
since 1/01/08
Series CM



RATIONAL 5000139

3120014 SOLENOID VALVE 264 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm



RATIONAL 30020315

3120009 SOLENOID VALVE 351 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



RATIONAL 30020331

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



RATIONAL 30020330

Spare parts for pumps

3122359 PUMP HOSE
for Convection oven electric (RATIONAL) CPC202
CPC61



RATIONAL 21181000

3122360 PUMP MANIFOLD
for Convection oven (RATIONAL) - Series CD
Series CM



RATIONAL 20220110



Suitable for:

RATIONAL



Suitable for:

Sparking and detection plugs

3020375 ROUND SPARKING PLUG $\varnothing$ 7.5x60 mm
overall length 78 mm
for Convection oven gas (RATIONAL)
since 1/06/97
Series CM - Series CPC



RATIONAL 1004804

RATIONAL 20680300

3806004 ROUND SPARKING PLUG $\varnothing$ 9x117 mm
complete with cable length 600 mm
for Convection oven gas (RATIONAL)
since 1/04/04
till 1/04/04
SCC61G - SCC62G



RATIONAL 4400251

3806005 ROUND SPARKING PLUG $\varnothing$ 9x166 mm
complete with cable length 600 mm
for Convection oven gas (RATIONAL)
since 1/04/04
till 1/04/04
SCC101G - SCC202G



RATIONAL 4400249

Tangential fans

3526962 TANGENTIAL FAN 120 mm LEFT
230V 50/60Hz - $\varnothing$ 60 mm - 25 W
operating temperature $-30^{\circ}+135^{\circ}\text{C}$



RATIONAL 31011004

3526450 TANGENTIAL FAN 60 mm RIGHT
230V 50Hz - $\varnothing$ 60 mm - 18 W
operating temperature $-30^{\circ}+135^{\circ}\text{C}$



RATIONAL 31011003


Thermostats

3444406 SINGLE-PHASE THERMOSTAT $+60+300^{\circ}\text{C}$
D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 230V
bulb $\varnothing$ 4x120 mm - with stuffing gland nut M14x1
for Convection oven electric (RATIONAL)
since 1/06/97
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101
CD102 - CD201 - CD202 - CD61



RATIONAL 30140166

3444407 SINGLE-PHASE THERMOSTAT $0-250^{\circ}\text{C}$
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
covered capillary length 3150 mm - 16A 230V
bulb $\varnothing$ 4x102 mm
for Convection oven electric (FRIMA) - Series CD
for Convection oven electric (RATIONAL)
Series CD



RATIONAL 30140308



Suitable for:

RATIONAL



3444402 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb ø 3x160 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD20 - CD201 - CD6 - CM101 - CM6



RATIONAL 30140311

3444403 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm
covered capillary length 830 mm - 16A 250V
bulb ø 4x100 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD20 - CD201 - CD6



RATIONAL 30140318

3444401 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin 6x4.6 mm
covered capillary length 2420 mm - 16A 250V
bulb ø 6x90 mm - with stuff.gland coupling M9x1
for Convection oven electric (RATIONAL)
since 1/06/97
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101
CD20 - CD201 - CD6



RATIONAL 30140314

3444591 SINGLE-PHASE THERMOSTAT 183°C

with manual reset
covered capillary length 1460 mm - 16A 250V
bulb ø 6x61 mm
for Convection oven (RATIONAL) - Series SCC



RATIONAL 4001329

3444400 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 3x262 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CCD101 - CCD102 - CCD201 - CCD61 - CD101 - CD102
CD20 - CD201 - CD202 - CD6 - CD61 - CM101
CM20 - CM201 - CM6



RATIONAL 30140312

3444405 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 1170 mm - 16A 250V
bulb ø 4x120 mm - with stuff.gland nut M14x1
for Convection oven electric (RATIONAL) CCC101
CCC102 - CCC201 - CCC202 - CCC61 - CCD101
CCD102 - CCD201 - CCD202 - CCD61 - CCM101
CCM102 - CCM102N - CCM201 - CCM202 - CCM61



RATIONAL 30140322



Suitable for:

Suitable for:

3444781 SINGLE-PHASE THERMOSTAT 360°C

with automatic reset
covered capillary length 1170 mm - 16A 230V
bulb ø 4x95 mm - with stuffing gland nut M14x1
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CM101N - CM102N - CM201N - CM202N - CM61 - CPC101
CPC102 - CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC101G - CPC61G



RATIONAL 30140326

3444816 SINGLE-PHASE THERMOSTAT 365°C

with manual reset
covered capillary length 1200 mm - 16A 250V
bulb ø 5x70 mm - with stuffing gland nut M9x1
for Convection oven (RATIONAL)
since 1/04/04
Series SCC



RATIONAL 4000605

RATIONAL 4001482

3444404 3-PHASE THERMOSTAT 365°C

with manual reset
covered capillary length 1170 mm - 10A 400V
bulb ø 4x120 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CC101 - CC20 - CC201 - CC6 - CD101 - CD20 - CD201
CD6 - CM101 - CM20 - CM6
CM201
for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 30140310

Timers

3446039 TIMER 120 MINUTES MS65

manually set cycle 120 minutes
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
DE10ES - DE10MX - DE102MX - EF10GM - EF4
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
VE10MX - VE102MX - VE20MX
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - FBA-106E-00
FBA-106E-01 - FBA-110E-00 - FBA-110E-01
FBA-120E-00 - FBA-210E-00 - FDA-106E-00
FDA-106E-01 - FDA-120E-00 - FDA-210E-00
for Convection oven gas (GIORIK) CG06MX - CG10MX



RATIONAL 3010104

3446090 TIMER 120 MINUTES MS65

manually set mechanical timer
manual position possible
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven (RATIONAL)
since 1/09/87
till 1/03/89
Series CM
for Convection oven electric (ROSINOX) TVT10E



RATIONAL 30130101



Suitable for:

RATIONAL



Suitable for:

Transformers

3739017 TRANSFORMER 10VA

primary voltage 0-200-208-220-230-240-250V
secondary voltage 11.5V 10VA
room temperature 0÷60°C
faston terminal box
for Convection oven electric (RATIONAL)
since 1/04/04
till 1/04/04
CM101E - CM102E - CM61E - CM62E - SCC101E
SCC102E - SCC61E - SCC62E
for Convection oven gas (RATIONAL)
since 1/04/04
till 1/04/04
CM101G - CM102G - CM61G - CM62G - SCC101G
SCC102G - SCC61G - SCC62G



RATIONAL 4000278

3739018 TRANSFORMER 20VA

primary voltage 0-200-208-220-230-240-250V
secondary voltage 11.5V 20VA
room temperature 0÷60°C
faston terminal box
for Convection oven electric (RATIONAL)
since 1/04/05
till 1/04/05
CM201E - CM202E - SCC201E - SCC202E
for Convection oven gas (RATIONAL)
since 1/04/05
till 1/04/05
CM201G - CM202G - SCC201G - SCC202G



RATIONAL 4000333

3739019 TRANSFORMER 21.6VA

primary voltage 200-208-220-230-240-250V 50/60Hz
secondary voltage 12V 21.6VA
room temperature 0÷130°C
faston terminal box
for Convection oven electric (RATIONAL)
since 1/05/04
till 1/05/04
SCC201 - SCC201E - SCC202 - SCC202E



RATIONAL 4000592

3739016 TRANSFORMER 230V/11.5V 10VA

primary voltage 230Vca 50/60Hz
secondary voltage 11.5Vca 10VA
room temperature 0÷60°C
faston terminal box
for Convection oven electric (RATIONAL)
since 1/05/93
till 1/05/93
CD101E - CD102E - CD61E - CD62E - CPC101E
CPC102E - CPC61E - CPC62E
for Convection oven gas (RATIONAL)
since 1/05/93
till 1/05/93
CD101G - CD102G - CD61G - CD62G - CPC101G
CPC102G - CPC61G - CPC62G



RATIONAL 1011196

RATIONAL 30370205

3739003 TRANSFORMER 241-230-219-0V/24V 48VA

primary voltage 241-230-219-0V 50/60Hz
secondary voltage 24V 48VA
room temperature 0÷40°C
screw terminal box
for Convection oven (RATIONAL)
since 1/01/97
Series CM
Series CPC



RATIONAL 30370242

3739004 TRANSFORMER 68.4VA

primary voltage 260/240/230/220/200/0V 50/60Hz
secondary voltage 0-4.2V 14.4-014.4V 0-11.5V
room temperature 0÷65°C
faston terminal box
for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC



RATIONAL 30370240



Suitable for:

Suitable for:

3739028 TRANSFORMER 70VA

primary 0-200-208-220-230-240-250V
secondary 2.1-0-2.1V 0-11.5V 0-12V 70VA
room temperature 0÷50°C
faston terminal box
for Convection oven electric (RATIONAL)
since 1/01/08
Series CM - Series SCC
for Convection oven gas (RATIONAL)
since 1/01/08
Series CM - Series SCC



RATIONAL 4000277

Vibrating pumps

3122469 KIT VIBRATORY SOLENOID VALVES 230V

for Convection oven electric (RATIONAL) CPC102
CPC61



RATIONAL 87201521

Wash arms for ovens

3743376 OVEN WASHING ARM

for Convection oven electric (RATIONAL)
since 1/03/00
CPC61
for Convection oven gas (RATIONAL)
since 1/03/00
CPC61G



RATIONAL 86552100

RATIONAL 87101316

3743377 OVEN WASHING ARM

for Convection oven electric (RATIONAL)
since 1/03/00
CPC101 - CPC102 - CPC201 - CPC202
for Convection oven gas (RATIONAL)
since 1/03/00
CPC101G - CPC102G - CPC201G - CPC202G



RATIONAL 86552101

Water tight seals and rings

3786369 MOTOR AXIS SEALING GASKET

for Convection oven (RATIONAL)
since 1/11/90
Series CLASSIC 20



RATIONAL 50010211