



Spare parts for:

Ovens

Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ZANUSSI



Suitable for:

Air regulators

3020097 PILOT AERATION REGULATOR

internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ZANUSSI 057251

Alarms

3397301 ALARM BELL AC00206 85x45x25 mm

power supply 220/240V
for Convection oven electric (ANGELO PO) FCV101E
FCV141E - FCV241E - FCV3EM - FCV4EM - FCV61E
for Convection oven gas (ANGELO PO) FCV101
FCV141 - FCV241 - FCV241G - FCV61



ZANUSSI 0C7006

ZANUSSI 055368

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm

ball bearing
230V 50Hz 19W 2650rpm
4656N



ZANUSSI

3240501 AXIAL FAN SUNON 120x120x38 mm

ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478

ZANUSSI 0E2261

ZANUSSI 058855

ZANUSSI 0C4106

ZANUSSI 002656

ZANUSSI 0C4423

ZANUSSI 002690

3240502 AXIAL FAN SUNON 80x80x25 mm

ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN
for Convection oven gas (LAINOX) VG106M



ZANUSSI 006125

3240515 AXIAL VENTILATOR EBM 80x80x38 mm

ball bearings
230V 50Hz 12W 2800rpm
8556N



ZANUSSI 083528



ZANUSSI



Suitable for:

Suitable for:

Ball valves and accessories

3359136 BRACKET FOR ROD



ZANUSSI 003378

3359137 DRAIN TAP DN20 $\varnothing$ 3/4"FF for Convection oven (ZANUSSI) - Series ACV Series ECV - Series FCV - Series FCVA - Series RCV Series ZCV



ZANUSSI 056114

3359136 BRACKET FOR ROD



ZANUSSI 003378

3356067 DRAIN TAP LEVER 200 mm



ZANUSSI 003377

3356067 DRAIN TAP LEVER 200 mm



ZANUSSI 003377

3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4"FF heavy series with PN 40 total passage DIN - DVGW approved aluminium throttle



ZANUSSI 0K7222

Bearings

3063017 BEARING 6203 2RS NSK external $\varnothing$ 40 mm -internal $\varnothing$ 17 mm-thickness 12 mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918

3063121 BEARING 6203 2RS SKF $\varnothing$ ext. 40 mm - $\varnothing$ int. 17 mm - thickness 12 mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918



Suitable for:

ZANUSSI



Suitable for:

Boilers

3024016 STEAM GENERATING BOILER
made of STAINLESS STEEL
sizes 700x280x170 mm
for Convection oven (ZANUSSI) FCV 10 GRIGLIE



ZANUSSI 0C5335

ZANUSSI 002631

3186429 SEALING GASKET 270x112 mm
for boiler
for Convection oven (ZANUSSI) - Series FCS
Series FCV



ZANUSSI 002706

3024017 STEAM GENERATOR PLUG
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 002692

Bushes

3449284 COUPLING RING
for OVEN



ZANUSSI 055324

Cables for piezo igniters

3001031 PLUG CABLES KIT
two grounding cables 100 mm
one red silicone cable 950 mm
one red silicone cable 1200 mm
one ignition cable 1100 mm
one ignition cable 1600 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 006024

3001028 SIT CABLE 500 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for sparking plug



ZANUSSI 059578



ZANUSSI



Suitable for:

3001002 SIT IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm ignition
with faston $\varnothing$ 4 mm for electrode



ZANUSSI 054273

Suitable for:

3001016 SIT IGNITION LEAD 1000 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



ZANUSSI 002544
ZANUSSI 059146

ZANUSSI 006514
ZANUSSI 059842

ZANUSSI 058494

3001019 SIT IGNITION LEAD 1000 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 2.4 mm for electrode



ZANUSSI 005559

3001018 SIT IGNITION LEAD 600 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



ZANUSSI 004943

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 00U0403

ZANUSSI 056148

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3068002 CAPACITOR μ F 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0K9108

ZANUSSI 037268



ZANUSSI



Suitable for:

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

Suitable for:

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 049126

Centrifigal fans

3240743 MOTOR FAN RG128/1300-3612 55W 24V
for Convection oven gas (ZANUSSI) AOS102G
AOS201G - AOS202G



ZANUSSI 0C1112

3240500 MOTOR FAN 37/43W 220/240V 50/60HZ
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20



ZANUSSI 002639

3240288 OVEN MOTOR FAN 23W 24V
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1051

Contact thermostats

3744083 CONTACT THERMOSTAT 250°C 10A 250V
fitting M4
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005203




Suitable for:

Suitable for:

Contactors

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10

10A 400V 4Kw
coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ZANUSSI 082986

ZANUSSI 088477

3446510 CONTACTOR BENEDIKT/JAGER K3-14A1024

coil 14A 24V 50/60Hz 5.5Kw
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ZANUSSI 0E0020

ZANUSSI 0L0360

ZANUSSI 046994

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10


18A 400V 7.5Kw
coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ZANUSSI 006879

3446561 CONTACTOR LOVATO BF0910A

coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

3454022 CONTACTOR LOVATO BF1201A


coil 12A 230V 50/60Hz 5.7Kw
3 normally closed contacts
1 normally closed auxiliary contact
for Convection oven gas (ANGELO PO) FCV241GDM



ZANUSSI 0KD792

3446506 CONTACTOR LOVATO BF2510A

25A 400V 12.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Convection oven (ZANUSSI)



ZANUSSI 0K4938

ZANUSSI 054928

3446552 CONTACTOR LOVATO BG0610A


coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 086215

3446557 CONTACTOR LOVATO BG0901A

coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 086169




ZANUSSI



Suitable for:

Suitable for:

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 075796

Detergents

3092248 DETERGENT ECOLAB KIT 1 L - 4 PCS
detergent for grills and hot plates
it can be used hot



ZANUSSI 051195

Door glasses for oven and accessories

3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket
for Convection oven (ZANUSSI) - Series FCF
Series FCS - Series FCV - Series FCVA



ZANUSSI 0C5340

ZANUSSI 057400

3519001 FRAME 35x35 mm



ZANUSSI 057382

3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket
for Convection oven (ZANUSSI) - Series FCF
Series FCS - Series FCV - Series FCVA



ZANUSSI 0C5340

ZANUSSI 057400



ZANUSSI



Suitable for:

Suitable for:

3519002 GASKET GLASS FRAME



ZANUSSI 057402

3519002 GASKET GLASS FRAME



ZANUSSI 057402

Electrical cables

3050159 CONNECTING CABLE 1500 mm
for Convection oven (ZANUSSI)



ZANUSSI 002763

Electrical gas valves and accessories

3526270 VALVE 820 NOVA EXTENSION
D shaft ø 10x8 mm



ZANUSSI 004667

3526137 BUTTON FOR ELETTROSIT VALVE



ZANUSSI 053820


ZANUSSI 053992

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452



Suitable for:

3526087 ELETROSIT VALVE $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ZANUSSI 054437

Suitable for:

3526090 ELETROSIT VALVE $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ZANUSSI 057543

3526093 EXTENSION ELETROSIT BUTTON
for switching on/off buttons



ZANUSSI 051281

ZANUSSI 055805

3526066 HONEYWELL VALVE V4400C $\varnothing$ 3/4"FF 220V
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven gas



ZANUSSI 057340

3526136 SPRING FOR PUSH-BUTTON



ZANUSSI 053819

3440200 TWIN LEAD THERMOPILE 580 mm



ZANUSSI 002607



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

Suitable for:

3526079 VALVE 820 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven electric (MBM) FCE6
for Convection oven gas (ANGELO PO) - Series FC
Series FCV
for Convection oven gas (MBM) FFM061 - FGC060
FGC065 - FGC100 - FGC200 - FGDM066
FGMD060 - FGMD061 - FGMD065 - FGMD100
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



ZANUSSI 0A2440

ZANUSSI 055446

ZANUSSI 056514

3526183 VALVE 820 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 60Hz
for Convection oven gas (ZANUSSI) ACF/G101
FCF/G10 - FCF/G101



ZANUSSI 006182

3526361 VALVE 822 NOVA ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FDA-106G - FDA-110G - FDA-210G - FDE-106G
FDE-110G - FDE-210G - FUA-106G - FUA-110G
FUA-210G - FUE-106G - FUE-110G - FUE-210G



ZANUSSI 059473

3020083 NUT & OLIVE ø 4 mm



ZANUSSI 052833



Suitable for:

3020084 NUT & OLIVE ø 6 mm



ZANUSSI 052834

ZANUSSI



Suitable for:

3526141 VALVE 830 TANDEM ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series NCV
Series RCV - Series ZCV



ZANUSSI 002340

ZANUSSI 005897

3020083 NUT & OLIVE ø 4 mm



ZANUSSI 052833

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3020084 NUT & OLIVE ø 6 mm



ZANUSSI 052834



Suitable for:

3526140 VALVE 836 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FDV - Series NCV
Series RCV - Series ZCV



ZANUSSI 002714

3020083 NUT & OLIVE $\varnothing$ 4 mm



ZANUSSI 052833

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

3526012 VALVE 848 SIGMA $\varnothing$ 3/4"MM
inlet $\varnothing$ 3/4"M - outlet $\varnothing$ 3/4"M
maximum gas inlet pressure 60 mbar
outlet pressure range setting
0.5÷12 mbar
room temperature 0÷60°C
power supply 230V 50Hz 2.8VA
for Convection oven gas (ZANUSSI) - Series AOS
Series EJV - Series FCZ - Series RDR



ZANUSSI 0C1057

Suitable for:

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3020084 NUT & OLIVE $\varnothing$ 6 mm



ZANUSSI 052834

3526009 VALVE820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
gas max inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
slow ignition
for Convection oven gas (ZANUSSI) - Series ACF
Series FCF - Series NCF - Series ZCF



ZANUSSI 003719



Suitable for:

ZANUSSI



Suitable for:

Electronic boxes

3526402 CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



ZANUSSI 0E1499

ZANUSSI 002351

3091026 CONTROL BOX S4560M1010

model HONEYWELL - 220/240V 50Hz 10vA
for 10-20 SHELVES
for Convection oven (ZANUSSI)



ZANUSSI 002641

3526403 CONTROL BOX S4565C1033U

model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills
for Convection oven gas (ZANUSSI)



ZANUSSI 005924

3091012 CONTROL BOX 503 EDF FOR TANDEM

model SIT - 220/240V 50/60Hz 7VA
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



ZANUSSI 005898

3091029 CONTROL BOX 537 ABC

SIT model - 220/240V 50/60Hz 12VA
for 6 SHELVES
for Convection oven gas (ZANUSSI)



ZANUSSI 005908

3091015 CONTROL BOX 577 DBC

model SIT - 220/240V 50/60Hz 20VA
for Convection oven (ZANUSSI) - Series AOS




ZANUSSI 0C1059

Electronic printed-circuit boards

3390054 ELECTRONIC POWER BOARD 335x110 mm

for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
ECV/E202 - ECV/E6 - FCS061E - FCS101E
FCS102E - FCS201E - FCS202E - FCV/E6 - RCV/E6
RCV101E4 - ZCV/E10 - ZCV/E201 - ZCV/E202
ZCV/E6
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
FCS101G - FCS102G - FCS201G - FCS202G
FCV/G201 - FCV/G202 - FCV/G6 - NCV/G10
RCV061G2 - RCV101G4 - ZCV/G10 - ZCV/G201
ZCV/G202 - ZCV/G6



ZANUSSI 0C3762

ZANUSSI 006517

3390229 ELECTRONIC POWER BOARD 335x110 mm

for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
FCV/E10 - FCV/E201 - FCV/E202 - NCV/E10
RCV101E2 - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ECV/G201 - ECV/G202
ECV/G6 - FCV/G10 - FCV/G201 - FCV/G202
FCV/G6 - NCV/G10 - RCV101G2 - ZCV/G201
ZCV/G202 - ZCV/G6



ZANUSSI 0C3761

ZANUSSI 006716

ZANUSSI 004105

ZANUSSI 006612

3390230 ELECTRONIC POWER BOARD 335x110 mm

230V 50/60Hz
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E6 - FCS061E - FCS101E2 - FCV/E10 - FCV/E6
NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6
FCS061G - FCS101G2 - FCV/G10 - FCV/G6
NCV/G10 - NCV/G6 - RCV061G2 - RCV101G2
ZCV/G6




ZANUSSI 0C3757

ZANUSSI 002684

ZANUSSI 006715

3390227 ELECTRONIC POWER BOARD 350x150 mm

for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - AOS201E
AOS202E - EJV061E - EJV101E - EJV102E
EJV201E - EJV202E - FCZ061E - FCZ101E
FCZ102E - FCZ201E - FCZ202E - RDR061E
RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - AOS201G
AOS202G - EJV061G - EJV101G - EJV102G
EJV201G - EJV202G - FCZ061G - FCZ101G
FCZ102G - FCZ201G - FCZ202G - RDR061G
RDR101G - RDR201G



ZANUSSI 0C0042

3397028 CHAMBER TEMPERATURE PROBE

3 wires - loop-faston connection
bulb ø 4x70 mm
cable length 920 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E - AOS202E
EJV061E - EJV102E - EJV201E - EJV202E
FCZ061E - FCZ102E - FCZ201E - RDR061E
RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G - AOS202G - EJV201G
FCZ201G - RDR201G




ZANUSSI 0C0325



Suitable for:

Suitable for:

40C1071 FEEDER BOARD 120x100 mm
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS20G - AOS201G



ZANUSSI 0C1071

3390228 INTERFACE ELECTRONIC BOARD
dimensions 450x150 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - AOS201E
AOS202E - EJV061E - EJV101E - EJV102E
EJV201E - EJV202E - FCZ061E - FCZ101E
FCZ102E - FCZ201E - FCZ202E - RDR061E
RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - AOS201G
AOS202G - EJV061G - EJV101G - EJV102G
EJV201G - EJV202G - FCZ061G - FCZ101G
FCZ102G - FCZ201G - FCZ202G - RDR061G
RDR101G - RDR201G



ZANUSSI 0C0043


3390075 MOTHERBOARD 335x110 mm
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
ECV/E202 - FCV/E10 - FCV/E201 - FCV/E202
ZCV/E10 - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ECV/G10 - ECV/G201
ECV/G202 - ECV/G6 - FCV/G10 - FCV/G201
FCV/G202 - FCV/G6 - ZCV/G10 - ZCV/G201
ZCV/G202 - ZCV/G6



ZANUSSI 0C3764

ZANUSSI 006717

3390231 PIN ELECTRONIC BOARD 132x110 mm
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ACV/E6 - ECV/E10
ECV/E201 - ECV/E202 - FCS061E - FCS101E
FCS102E - FCS201E4 - FCS202E4 - FCV/E10
FCV/E201 - FCV/E202 - FCV/E6 - NCV/E10
NCV/E6 - RCV/E6 - RCV101E4 - RCV061E2
RCV101E2 - ZCV/E10 - ZCV/E201 - ZCV/E202
ZCV/E6
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
FCS101G - FCS102G - FCV/G10 - FCV/G201
FCV/G202 - FCV/G6 - NCV/G10 - NCV/G6
RCV061G2 - RCV101G2 - RCV101G4 - ZCV/G10
ZCV/G201 - ZCV/G202 - ZCV/G6




ZANUSSI 002666



Suitable for:

3390165 POWER SUPPLY ELEC.CIRCUIT BOARD 105x72mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - AOS201E
AOS202E - AOW101E - EJN061E - EJN101E
EJN102E - EJN201E - EJN202E - FCZ061E
FCZ101E - FCZ102E - FCZ201E - FCZ202 - RDR061E
RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - AOS201G
AOS202G - EJN061G - EJN101G - EJN102G
EJN201G - EJN202G - FCZ061G - FCZ101G
FCZ102G - FCZ201G - FCZ202G - RDR061G
RDR101G - RDR201G



ZANUSSI 007047

Suitable for:


3390055 USER INTERFACE BOARD 210x110 mm
D-shaped pin $\varnothing$ 6x4.6 mm
16-track connector
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ACV/E6 - ECV/E201
ECV/E202 - FCS061E - FCS101E - FCV/E10
FCV/E20 - FCV/E201 - FCV/E202 - FCV/E6
NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
ECV/G202 - ECV/G6 - FCS061G - FCS101G
FCV/G10 - FCV/G20 - FCV/G201 - FCV/G202
FCV/G6 - NCV/G10 - NCV/G6 - RCV061G2
RCV101G2 - ZCV/G201 - ZCV/G202 - ZCV/G6



ZANUSSI 0C3758

ZANUSSI 002665

3390232 USER INTERFACE ELECTRONIC BOARD
dimensions 275x110 mm
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
ECV/E202 - ECV/E6 - FCS061E - FCS101E
FCS102E - FCS201E - FCS202E - FCV/E201
FCV/E202 - FCV/E6 - RCV/E6 - RCVE101E4
ZCV/E10 - ZCV/E201 - ZCV/E202 - ZCV/E6
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
ECV/G202 - ECV/G6 - FCS061G - FCS101G
FCS102G - FCV/G10 - FCV/G201 - FCV/G202
FCV/G6 - NCV/G10 - RCV061G2 - RCV101G4
ZCV/G10 - ZCV/G201 - ZCV/G202 - ZCV/G6



ZANUSSI 002725

Electronic thermostats and controllers

3445375 THERMOSTAT ELIWELL IDPlus 902
230V 50/60Hz
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



ZANUSSI 0S0295

3445028 PROBE NTC PVC 4000 mm
temperature field $-30^{\circ}+80^{\circ}\text{C}$
bulb $\varnothing$ 6x20 mm



ZANUSSI 087832

ZANUSSI 092176



Suitable for:

ZANUSSI



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



Suitable for:

ZANUSSI 0S0302

ZANUSSI 083583

3445073 THERMOSTAT EVK411 TCJ
power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through
password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



ZANUSSI 004109

ZANUSSI 053540

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

3445109 PROBE TCJ EC-SND-2312 3000 mm
2 wires - temperature range -50+350°C
error limits $\pm 0.75\%$ below 0°C
30 seconds response time
bulb ø 6x100 mm
vetrotex cable



ZANUSSI 004116



Suitable for:

ZANUSSI

Suitable for:



Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M



ZANUSSI 0A2482
ZANUSSI 005270

ZANUSSI 0C1605
ZANUSSI 026861

ZANUSSI 0K8611
ZANUSSI 055016

Fans for motors

3240110 FAN $\varnothing$ 280 mm

thickness 100 mm
total blades 6 - $\varnothing$ hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3




ZANUSSI 054585

ZANUSSI 055422

3240289 FAN $\varnothing$ 280 mm

thickness 100 mm
total blades 6 - $\varnothing$ hole 10 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
FCV/E6 - NCV/E6 - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6



ZANUSSI 0C6462

ZANUSSI 002754

ZANUSSI 003560

3240736 FAN $\varnothing$ 288 mm

thickness 130 mm
total blades 10 - $\varnothing$ hole 10 mm
for Convection oven electric (ZANUSSI) AOS061E
EJN061E - FCZ061E - RDR061E
for Convection oven gas (ZANUSSI) AOS061G
EJN061G - FCZ061G - RDR061G



ZANUSSI 0C7029

ZANUSSI 007000

3240111 FAN $\varnothing$ 350 mm

thickness 135 mm
total blades 6 - $\varnothing$ hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ZANUSSI 053782

ZANUSSI 054890



Suitable for:

ZANUSSI



Suitable for:


3240291 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø via hole 10 mm
for Convection oven (ZANUSSI) - Series ACF
Series ACV - Series ECV - Series FCF - Series FCV
Series NCV - Series ZCF - Series ZCV
for Convection oven electric (ZANUSSI) FCS101E
FCS102E - FCS201E - FCS202E
for Convection oven gas (ZANUSSI) FCS101G
FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617

3240737 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 10 mm
for Convection oven electric (ZANUSSI) FCF/E10
for Convection oven gas (ZANUSSI) FCF/G10



ZANUSSI 0C8309

ZANUSSI 002139

3240738 FAN ø 350 mm
height 140 mm
total blades 6 - ø hole 10 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS201E - AOW101E - EJV101E - EJV201E
FCZ101E - FCZ201E - RDR201E
for Convection oven gas (ZANUSSI) AOS101G
AOS102G - AOS201G - EJV101G - EJV201G
FCZ101G - FCZ201G - RDR101G - RDR201G



ZANUSSI 0C1129

ZANUSSI 0C6463

3240112 FAN ø 440 mm
thickness 152 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E20
FCF/E40 - FCFE202 - FCF/E20 - FCF/E6-1
ZOFCEV/E202 - ZOFCEV/E204
for Convection oven gas (ZANUSSI) FCF/G20
FCF/G40 - FCFE202 - FCFG202



ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

3240739 FAN ø 440 mm
height 155 mm
total blades 6 - ø hole 10 mm
for Convection oven electric (ZANUSSI)
Series ACF/E - Series ACV/E - Series ECF/E
Series ECV/E - Series FCF/E - FCS101E - FCS102E
FCS201E - FCS202E - Series FCV/E
Series ZCF/E - Series ZCV/E
for Convection oven gas (ZANUSSI) - Series ACV/G
Series ECV/G - FCS101G - FCS102G - FCS201G
FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306

ZANUSSI 002740

3340064 MOTOR FAN ø 145 mm
for Convection oven electric (WHIRLPOOL) FFE4



ZANUSSI 005221



Suitable for:

ZANUSSI



Suitable for:

Feet

3313036 ADJUSTABLE S/STEEL FOOT $\varnothing$ 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ZANUSSI 032550

3313045 ADJUSTABLE S/STEEL FOOT $\varnothing$ 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ZANUSSI 048579

3313003 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm
with rectangular flange 100x90 mm



ZANUSSI 057536

3313001 STAINLESS STEEL FOOT $\varnothing$ 2" HEIGHT 125 mm



ZANUSSI 053792

Filters

3160265 DRAIN FILTER $\varnothing$ 50 mm
for Convection oven (ZANUSSI)



ZANUSSI 004836

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905

3160232 STAINLESS STEEL DRAIN FILTER
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 056444

3160234 SPRING FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905



ZANUSSI



Suitable for:

3160347 STAINLESS STEEL FILTER
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1740

Suitable for:

3160462 WATER FILTER 1/2"FF
for Convection oven electric (BONNET) TMN32
for Steam oven (ZANUSSI)



ZANUSSI 054450

ZANUSSI 067392

Fittings

3349589 FITTING
for new series
for Convection oven (ZANUSSI)



ZANUSSI 006453

3349625 4-WAY COUPLING ø 1/2" F
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G



ZANUSSI 007020

Fuses

3049003 DELAY FUSE 5x20 - 10 PCS
250V 100mA



ZANUSSI 086338

3049012 DELAY FUSE 5x20 - 10 PCS
250V 800mA



ZANUSSI 0C2301

3049038 QUICK ACTING FUSE 5x20 - 10 PCS
250V 160mA



ZANUSSI 002820

3049040 QUICK ACTING FUSE 5x20 - 10 PCS
250V 250mA



ZANUSSI 002920

3049041 QUICK ACTING FUSE 5x20 - 10 PCS
250V 315mA



ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

3049042 QUICK ACTING FUSE 5x20 - 10 PCS
250V 400mA



ZANUSSI 002750



ZANUSSI



Suitable for:

3049044 QUICK ACTING FUSE 5x20 - 10 PCS
250V 630mA



ZANUSSI 058871

Suitable for:

3049049 QUICK ACTING FUSE 5x20 - 10 PCS
250V 2A



ZANUSSI 0A8438

3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



ZANUSSI 057783

Gas burners

3023202 AIR ADJUSTER ø 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

3023319 BURNER ø 50x345 mm
made of chromed iron
for Convection oven gas (ZANUSSI) FCFG101
FCFG102 - FCFG201 - FCFG202



ZANUSSI 003709

3023202 AIR ADJUSTER ø 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039



ZANUSSI



Suitable for:

Suitable for:

3023344 BURNER ø 60x570 mm
overall length 615 mm
for Convection oven gas (ZANUSSI) ACF/G201/1
ACF/G202/1 - ECF/G201/1 - ECF/G202/1
FCF/G201/1 - FCF/G202/1 - ZCF/G201/1
ZCF/G202/1



ZANUSSI 004831

3023202 AIR ADJUSTER ø 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

3023205 GAS BURNER ø 50x475 mm
STAINLESS STEEL
for Convection oven gas (ZANUSSI) FCV/G20



ZANUSSI 055487

3023202 AIR ADJUSTER ø 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

Gas hoses

3449228 COPPER TUBE 1x4 mm - 25 mt



ZANUSSI 0C1547

3449628 COPPER TUBE 1x4 mm - 5 mt



ZANUSSI 0C1547

3449228 COPPER TUBE 1x4 mm - 25 mt



ZANUSSI 0C1547

Gas taps and accessories

3348029 FITTING FOR PIPE ø 4 mm
for model PEL 21-22



ZANUSSI 052125

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



ZANUSSI 052127



ZANUSSI



Suitable for:


3348037 **PILOT OLIVE FOR PIPE ø 6 mm**
for model PEL 21-22



ZANUSSI 020992


Suitable for:

3348034 **PIPE FITTING ø 16 mm**
for model PEL 23



ZANUSSI 054816

3348035 **PIPE FITTING ø 20 mm**
for model PEL 23



ZANUSSI 054814

3348041 **PIPE OLIVE ø 16 mm**
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

3348042 **PIPE OLIVE ø 20 mm**
for model PEL 23



ZANUSSI 054815

Gaskets and seals

3786545 **BOILER GASKET 115x137x2 mm**
mounting distance 100x122 mm
for Convection oven electric (ZANUSSI) FCV/E10-P
FCV/E10-2 - FCV/E10-3 - FCV/E10-4 - FCV/E20-P
FCV/E20-2 - FCV/E20-2V - FCV/E20-3 - FCV/E20-4
FCV/E6-1 - FCV/E6-3



ZANUSSI 058553

3186342 **GASKET FOR OVEN**
soft - external ø 13,5 mm



ZANUSSI 053816

3186422 **GASKET FOR OVEN LAMP RECEPTACLE GLASS**
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

3786117 **HEAT EXCHANGER GASKET 100x100 mm**
for Convection oven gas (ZANUSSI)



ZANUSSI 003873



Suitable for:

Suitable for:

3786476 **HEAT EXCHANGER GASKET 100x100 mm**
for Convection oven gas (ZANUSSI)



ZANUSSI 002629

3786118 **HEAT EXCHANGER GASKET 110x110 mm**
for Convection oven gas (ZANUSSI)



ZANUSSI 003875

3786477 **HEAT EXCHANGER GASKET 119x108 mm**
for Convection oven gas (ZANUSSI)



ZANUSSI 002745

3786119 **HEAT EXCHANGER GASKET 140x135 mm**
for Convection oven gas (ZANUSSI)



ZANUSSI 003882

3186067 **HEATING ELEMENT GASKET**
external dimensions 75x50 mm
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)




ZANUSSI 055327

3186098 **HEATING ELEMENT GASKET**
external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ZANUSSI 057534

3186099 **HEATING ELEMENT GASKET**
external dimensions 76x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 053840

3186187 **HEATING ELEMENT GASKET**
external dimensions 68x13 mm



ZANUSSI 0H6665

ZANUSSI 0K1831

3186508 **HEATING ELEMENT GASKET**
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3786478 **HEATING ELEMENT GASKET**
external dimensions 80x45 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003726



Suitable for:

Suitable for:

- 3186429 SEALING GASKET 270x112 mm**
for boiler
for Convection oven (ZANUSSI) - Series FCS
Series FCV



ZANUSSI 002706

Gaskets for oven door

- 3786124 LOWER GASKET FOR OVEN DOOR 650 mm**
made of silicone elastomer
profile dimensions 22x18 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E201/1
FCF/E202/1 - FCV/E201/1 - FCV/E202/1
for Convection oven gas (ZANUSSI) FCF/G201/1
FCF/G202/1



ZANUSSI 0H6662

- 3786123 LOWER OVEN DOOR GASKET 745 mm**
made of silicone elastomer
profile dimensions 60x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) AOS202E
for Convection oven gas (ZANUSSI) AOS202G



ZANUSSI 0C1196

- 3286022 OVEN DOOR GASKET - 24 m**
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

- 3286012 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6767

- 3286014 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6760

- 3286042 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI



Suitable for:

Suitable for:

- 3286078 OVEN DOOR GASKET - 3 m**
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6767

- 3286012 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6767

- 3286011 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6767

- 3286079 OVEN DOOR GASKET - 3 m**
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6760

- 3286014 OVEN DOOR GASKET - 25 m**
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6760

- 3286013 OVEN DOOR GASKET - 6 m**
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6760



Suitable for:

Suitable for:

3286082 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

3286022 OVEN DOOR GASKET - 24 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

3286021 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

3286088 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286042 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286041 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI



Suitable for:

Suitable for:

3286011 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 15x14 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6767

3286013 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 0H6760

3286021 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

3286041 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286040 OVEN DOOR GASKET 013 - 25 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286087 OVEN DOOR GASKET 013 - 3 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286040 OVEN DOOR GASKET 013 - 25 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI



ZANUSSI



Suitable for:

Suitable for:

3286039 OVEN DOOR GASKET 013 - 6 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286039 OVEN DOOR GASKET 013 - 6 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)




ZANUSSI

3186358 OVEN DOOR GASKET 1300 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (ZANUSSI) FVE3
VAPE3



ZANUSSI 056480

3186354 OVEN DOOR GASKET 1400x640 mm
snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCFE40
FCVE20 - FF/E40
for Convection oven gas (ZANUSSI) FCFG40 - FF/G40



ZANUSSI 054986

3186351 OVEN DOOR GASKET 1140 mm
made of silicone elastomer
profile dimensions 18x10 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E2
FCF/E4 - FCF/E40LD3 - ZCF/E2



ZANUSSI 054850

3786544 OVEN DOOR GASKET 1300 mm
made of silicone elastomer
profile dimensions 8x4 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/EPN
FCF/E3N



ZANUSSI 078168

3186410 OVEN DOOR GASKET 1400x640 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E20
FCV/E20
for Convection oven gas (ZANUSSI) FCF/G20
FCV/G20



ZANUSSI 003088

ZANUSSI 005705



ZANUSSI



Suitable for:

Suitable for:

3186425 OVEN DOOR GASKET 1400x650 mm

made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E20
ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
FCF/E20 - FCS201EP - FCS201EX - FCS201E4
FCS202EP - FCS202EX - FCS202E4 - FCV/E201
FCV/E202 - ZCF/E20 - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACF/G20
ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
ECV/G202 - FCF/G20 - FCS201GP - FCS201GX
FCS201G4 - FCS202GP - FCS202GX - FCS202G4
FCV/G201 - FCV/G202 - FDV20G - FDV20GA
FDV20GZ - FDV40G - FDV40GA - FDV40GZ - ZCF/G20
ZCV/G201 - ZCV/G202



ZANUSSI 005711

3186480 OVEN DOOR GASKET 1470x480 mm

made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for OVEN AOS201G-AOS201E



ZANUSSI 0C0881

ZANUSSI 0C1473

3786121 OVEN DOOR GASKET 1475x660 mm

made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR
for Convection oven electric (ZANUSSI) AOS202E
FCZ202E
for Convection oven gas (ZANUSSI) AOS202G
FCZ202G



ZANUSSI 0C1889

3786122 OVEN DOOR GASKET 1475x660 mm


made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR
for Convection oven electric (ZANUSSI) AOS202E
for Convection oven gas (ZANUSSI) AOS202G



ZANUSSI 0C1195

4005885 OVEN DOOR GASKET 1600 mm

made of silicone elastomer
profile dimensions 17x10 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005885

3286002 OVEN DOOR GASKET 2554 - 20 m

made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057396

ZANUSSI 057656



Suitable for:

- 3286075 OVEN DOOR GASKET 2554 - 3 m**
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057396

ZANUSSI 057656

- 3286001 OVEN DOOR GASKET 2554 - 6 m**
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057396

ZANUSSI 057656

- 3286001 OVEN DOOR GASKET 2554 - 6 m**
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057396

ZANUSSI 057656

- 3186668 OVEN DOOR GASKET 395x290 mm**
stiff gasket
BLACK COLOR
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 005194

Suitable for:

- 3286002 OVEN DOOR GASKET 2554 - 20 m**
made of silicone elastomer
profile dimensions 26x14 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057396

ZANUSSI 057656

- 3786135 OVEN DOOR GASKET 300x260 mm**
made of silicone elastomer
with fixing clips
BLACK COLOR
for Convection oven electric (ZANUSSI) CCO30
CCO30G - ECO312CF - OTS100



ZANUSSI 0E3680

- 40C4159 OVEN DOOR GASKET 435x360 mm**
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4



ZANUSSI 0C4159



ZANUSSI



Suitable for:

Suitable for:

3186478 OVEN DOOR GASKET 500x480 mm

made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR
for Convection oven electric (ZANUSSI) AOS61E
EJN061E - FCZ061E - RDR061E
for Convection oven gas (ZANUSSI) AOS61G - EJN061G
FCZ061G - RDR061G



ZANUSSI 0C1496

ZANUSSI 006992

3186041 OVEN DOOR GASKET 585x395 mm

snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCVA/G6



ZANUSSI 055414

3786126 OVEN DOOR GASKET 610x430 mm

made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven gas (ZANUSSI) ACV/G6 - ECV/G6
FCS061G - FCS061GP - FCV/G6 - RCV061G2
ZCV/G6



ZANUSSI 005707

3186386 OVEN DOOR GASKET 620x414 mm

made of silicone elastomer
profile dimensions 23x13 mm
COLOUR BLACK
for Steam oven (JUNO-RÖDER-SENKING) - Series 55
for Steam oven (ZANUSSI) - Series 55



ZANUSSI 0H6653

3186408 OVEN DOOR GASKET 635x430 mm

made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E6
ACV/E6 - ECF/E6 - ECV/E6 - FCF/E6 - FCS061EX
FCS601E - FCV/E6 - JCF/E6 - NCF/E6 - NCV/E6
RCF061E - RCV/E6 - RCV061E2 - ZCF/E6 - ZCV/E6
for Convection oven gas (ZANUSSI) ACF/G6 - ACV/G6
ECF/G6 - FCF/G6 - FCV/G6 - JCF/G6 - NCF/G6
NCV/G6 - RCF061G - ZCF/G6



ZANUSSI 002828

ZANUSSI 004226

ZANUSSI 005713

3186385 OVEN DOOR GASKET 699x620 mm

made of silicone elastomer
profile dimensions 23x13 mm
COLOUR BLACK
for Steam oven (JUNO-RÖDER-SENKING) - Series 55
for Steam oven (ZANUSSI) - Series 55




ZANUSSI 0H6656



Suitable for:


Suitable for:

3186040 OVEN DOOR GASKET 715x645 mm
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI)
till 2/11/86
FCF/E20
for Convection oven gas (ZANUSSI)
till 2/11/86
FCF/G20



ZANUSSI 053751

3186043 OVEN DOOR GASKET 720x640 mm
snap-in gasket
made of silicone elastomer
profile dimensions 17x17 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI)
since 3/11/86
FCF/E10 - FCF/E20 - FCF/E10 - FCF/E20
for Convection oven gas (ZANUSSI)
since 3/11/86
FCF/G10 - FCF/G20 - FCF/G10 - FCF/G20



ZANUSSI 055315

3786125 OVEN DOOR GASKET 720x640 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCE/E10
FCV/E10
for Convection oven gas (ZANUSSI) FCF/G10



ZANUSSI 005706

3186088 OVEN DOOR GASKET 730x665 mm
made of silicone elastomer
profile dimensions 24x20 mm
COLOUR BLACK
for Convection oven (JUNO-RÖDER-SENKING) 5712-3-7
for Convection oven electric (ZANUSSI) ACF/E10
ACV/E10 - ECF/E10 - ECV/E10 - FCF/E10
FCS101EP - FCS101EX - FCS101E2 - FCS101E4
FCS102EP - FCS102EX - FCS102E4 - FCF/E10
JCF/E10 - NCF/E10 - NCV/E10 - RCF/E10
RCVE101E4 - RCV101E2 - ZCF/E10 - ZCV/E10
for Convection oven gas (ZANUSSI) ACF/G10
ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
FCS101GP - FCS101GX - FCS101G2 - FCS101G4
FCS102GP - FCS102GX - FCS102G4 - FCF/G10
JCF/G10 - NCF/G10 - NCV/G10 - RCF102G



ZANUSSI 004227

ZANUSSI 005712

3786120 OVEN DOOR GASKET 755x660 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) AOS102E
EJN102E - FCZ102E
for Convection oven gas (ZANUSSI) AOS102G
EJN102G - FCZ102G



ZANUSSI 0C1887

3186483 OVEN DOOR GASKET 760x485 mm
made of silicone elastomer
profile dimensions 31x15 mm
BLACK COLOR
for Convection oven electric (ZANUSSI) AOS101E
EJN101E - FCZ101E
for Convection oven gas (ZANUSSI) AOS101G
EJN101G - FCZ101G - RDR101G



ZANUSSI 0C1477

ZANUSSI 007069



ZANUSSI



Suitable for:

5028525 OVEN DOOR GASKET 800x760 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) CE200M
for Convection oven gas (LAINOX) CG200M



ZANUSSI 0LX015

Suitable for:

3286036 OVEN GLASS GASKET - 20 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057866

3286035 OVEN GLASS GASKET - 9 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057866

3286036 OVEN GLASS GASKET - 20 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI 057866

3186352 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCVA/G6



ZANUSSI 055412

3186423 OVEN GLASS GASKET 1500 mm
made of silicone elastomer
profile dimensions 35.5x12.5 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E6
ECF/E6 - FCF/E6 - NCF/E6 - RCF061E - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G6 - ECF/G6
FCF/G6 - JCF/G6 - NCF/G6 - RCF061G - ZCF/G6




ZANUSSI 003680



Suitable for:


Suitable for:

3186407 OVEN GLASS GASKET 2000 mm
made of silicone elastomer
profile dimensions 20x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
ECF/E10 - ECF/E20 - ECV/E10 - ECV/E201
ECV/E202 - FCF/E10 - FCF/E10 - FCF/E201
FCV/E202 - JCF/E10 - NCF/E10 - NCV/E10
RCV101E2 - RCV101E4 - ZCF/E10 - ZCF/E20
ZCV/E10
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G20 - ACV/G10 - ACV/G201 - ACV/G202
ECF/G10 - ECF/G20 - ECV/G10 - ECV/G201
ECV/G202 - FCF/G10 - FCF/G20 - FCF/G10
FCV/G201 - FCV/G202 - JCF/G10 - NCF/G10




ZANUSSI 002878

3186409 OVEN GLASS GASKET 2010 mm
made of silicone elastomer
profile dimensions 20x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E20 - ECF/E10 - FCF/E10 - FCF/E20
JCF/E10 - NCF/E10 - ZCF/E10 - ZCF/E20
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G20 - ECF/G10 - ECF/G20 - FCF/G10
FCF/G20 - JCF/G10 - NCF/G10 - RCF102G
ZCF/G10 - ZCF/G20



ZANUSSI 003739

3186355 OVEN GLASS GASKET 2200 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCVE10
FCVE20
for Convection oven gas (ZANUSSI) FCVA/G10
FCVG10



ZANUSSI 055314

3286038 OVEN GLASS GASKET 3524 - 20 m
made of silicone elastomer
profile dimensions 7x5 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286037 OVEN GLASS GASKET 3524 - 9 m
made of silicone elastomer
profile dimensions 7x5 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286038 OVEN GLASS GASKET 3524 - 20 m
made of silicone elastomer
profile dimensions 7x5 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI



Suitable for:

ZANUSSI



Suitable for:

Gastronorm pans

3018001 DRIP TRAY U-PAN GN 1/1 530x325xH20 mm
NON-STICK



ZANUSSI 0S0870

3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm
NON-STICK



ZANUSSI 0S0871

3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm
NON-STICK



ZANUSSI 0S0872

Gearmotors

3340140 GEARMOTOR 230V 50Hz 30 SECONDS
for STEAM EXHAUST
for Convection oven (ZANUSSI) - Series AOS
Series FCS - Series FCV



ZANUSSI 002896

Glues

3180052 RED HIGH TEMPERATURE SEALER 280 ml
operating temperature -65+260°C with peaks 320°C
for OVEN GASKETS



ZANUSSI 059611

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ZANUSSI 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ZANUSSI 025020

ZANUSSI 081883



Suitable for:

Suitable for:

Handles

3242674 BOTTOM TIE ROD SHAFT $\varnothing 10 \times 112$ mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ZANUSSI 056570

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ZANUSSI 003994

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ZANUSSI 055059

3242114 CENTRAL LOCK MECHANISM
for OVEN



ZANUSSI 006977

3242213 CENTRAL LOCK MECHANISM
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056550

3242451 CLASP $\varnothing 3.4 \times 16.5$ mm
for OVEN



ZANUSSI 0H6043

ZANUSSI 052061

ZANUSSI 060920

5028241 CLOSING CENTRAL GEAR LEFT
for OVEN



ZANUSSI 003824

3242739 DIVERter FOR DOOR HANDLE 107 mm
for OVEN



ZANUSSI 0C0447

3242204 DIVERter FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ZANUSSI 053756

3242460 DIVERter FOR DOOR HANDLE 70 mm
for OVEN



ZANUSSI 003747



ZANUSSI



Suitable for:

3242672 DIVERTER FOR DOOR HANDLE 70 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E40 - FCV/E20
for Convection oven gas (ZANUSSI) FCF/G20
FCF/G40 - FCV/G10 - FCV/G20



ZANUSSI 056069

Suitable for:

3242046 DOOR CONDENSATION-EXHAUST DEVICE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV
for Convection oven gas (ZANUSSI) FDV20G - FDV40G



ZANUSSI 002648

ZANUSSI 003773

3242202 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN old series



ZANUSSI 053761

3242456 DOOR HANDLE STRIKE SUPPORT
distance between mounting holes 40 mm
for OVEN



ZANUSSI 0C1583

3242086 DOOR HANDLE SUPPORT
for OVEN



ZANUSSI 003826

3391039 DOOR HANDLE SUPPORT
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056408

3242289 DOOR LOCK EXTERNAL FOOT
for OVEN



ZANUSSI 004104

3242455 DOOR LOCKING MECHANISM
for OVEN



ZANUSSI 0C1581

3242462 HANDLE BOTTOM TIE ROD $\varnothing$ 10x420 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202



ZANUSSI 005038

3242463 HANDLE TOP TIE ROD $\varnothing$ 10x465 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202



ZANUSSI 005037



ZANUSSI



Suitable for:

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ZANUSSI 005624

Suitable for:

3242089 LOCK FOR DOOR HANDLE
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056414

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E
for Convection oven electric (ZANUSSI) FVE3



ZANUSSI 002278

ZANUSSI 055510

ZANUSSI 056459

3242749 OVEN DOOR CATCH ASSEMBLY
fastening plate 124x45 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - EJN061E
EJN101E - EJN102E - FCZ061E - FCZ101E
FCZ102E - RDR061E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - EJN061G
EJN101G - EJN102G - FCZ061G - FCZ101G
FCZ102G - RDR061G - RDR101G




ZANUSSI 0C4477

3242737 OVEN DOOR COMPLETE LOCK
length 1320 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202



ZANUSSI 005342

3242211 OVEN DOOR COMPLETE LOCKING KIT
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056411

3242674 BOTTOM TIE ROD SHAFT $\varnothing 10 \times 112$ mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ZANUSSI 056570



Suitable for:

3242213 CENTRAL LOCK MECHANISM

for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056550

3242089 LOCK FOR DOOR HANDLE

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056414

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056551

3242673 TOP TIE ROD SHAFT $\varnothing$ 10x112 mm

for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ZANUSSI 056552

ZANUSSI



Suitable for:

3391039 DOOR HANDLE SUPPORT

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056408

3528066 NUT INOX M26x1.5 mm

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056409

3242088 STRIKE FOR DOOR HANDLE

distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056571

3528067 WASHER 22x12x2 mm

for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056416



Suitable for:

3242113 OVEN DOOR HANDLE

for OVEN series AOS061/101/201/202 ELECTRIC-GAS
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E - AOS202E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G - AOS202G



ZANUSSI 006978

Suitable for:

3242114 CENTRAL LOCK MECHANISM for OVEN



ZANUSSI 006977

3242201 OVEN DOOR HANDLE

for CONVECTION OVEN old series



ZANUSSI 053760

ZANUSSI 055057

3242204 DIVERTER FOR DOOR HANDLE 59 mm for CONVECTION OVEN old series



ZANUSSI 053756

3242202 DOOR HANDLE PUSH-BUTTON for CONVECTION OVEN old series



ZANUSSI 053761

3242203 SCREW CAP for CONVECTION OVEN old series



ZANUSSI 0C6059

ZANUSSI 055687

ZANUSSI 055043

ZANUSSI 055661

3242200 CASE FOR OVEN HANDLE PLATE for CONVECTION OVEN old series



ZANUSSI 055059

3242672 DIVERTER FOR DOOR HANDLE 70 mm for Convection oven electric (ZANUSSI) FCF/E10 FCF/E40 - FCV/E20 for Convection oven gas (ZANUSSI) FCF/G20 FCF/G40 - FCV/G10 - FCV/G20



ZANUSSI 056069

3242217 PIN FOR OVEN DOOR HANDLE M6x1 dimensions $\varnothing$ 12x66 mm for OVEN



ZANUSSI 053766

3242205 SPRING F/DOOR HANDLE DIVERTER $\varnothing$ 22x30 mm for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757



Suitable for:

3242206 SPRING FOR DOOR HANDLE 176 mm

for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

ZANUSSI



Suitable for:

3242214 OVEN DOOR HANDLE

for OVEN series FCF-ZCF-ACF ELECT/GAS 20 SHELVES
for OVEN FCV-ACV-ECV-ZCV ELET/GAS 6-10-20 SHELVES
for OVEN FDV20-FDV40G-FCS201G-FCS202G-FCS201E-FCS202E
for Convection oven electric (ZANUSSI)
Series ACF - Series ACV - Series ECV - Series FCF
FCS201E - FCS202E - Series FCV - Series ZCF
Series ZCV
for Convection oven gas (ZANUSSI) - Series ACF
Series ACV - Series ECV - Series FCF - FCS201G
FCS202G - Series FCV - FDV20G - FDV40G
Series ZCF - Series ZCV



ZANUSSI 0A5320

ZANUSSI 0F0029

ZANUSSI 002717

ZANUSSI 002722

3242215 OVEN DOOR HANDLE DUPLO 6200

for OVEN



ZANUSSI 002647

3242084 BUSHING FOR DOOR HANDLE

for OVEN



ZANUSSI 003994

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLY MIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



ZANUSSI 0K2246

ZANUSSI 003822



ZANUSSI



Suitable for:

Suitable for:

3242216 STRIKE FOR DOOR HANDLE

distance between mounting holes 43 mm
for Convection oven (WHIRLPOOL) AGB633 - AGB638
AGB639 - AGB640
for Convection oven electric (WHIRLPOOL) FMIE102F
FMIE103F - FMIE63F
for Convection oven gas (WHIRLPOOL) FMIG103F
FMIG63F



ZANUSSI 0K8039

ZANUSSI 002650

3242227 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) FCF/E2
ZCF/E2



ZANUSSI 025083

3242229 SPRING FOR DOOR HANDLE 70 mm

for OVEN



ZANUSSI 055558

3242452 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS202G



ZANUSSI 0C1616

3242461 STRIKE FOR DOOR HANDLE

distance between mounting holes 43 mm
for OVEN



ZANUSSI 0C2215

3242228 PIN FOR OVEN DOOR HANDLE M5x1

dimensions $\varnothing$ 10x22 mm
for OVEN



ZANUSSI 054854

3242114 CENTRAL LOCK MECHANISM

for OVEN



ZANUSSI 006977



ZANUSSI



Suitable for:

Suitable for:

3242453 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) FCF/E6
FCFE101 - FCFE102
for Convection oven gas (ZANUSSI) FCF/G6 - FCFG101
FCFG102



ZANUSSI 003683

3242460 DIVERTER FOR DOOR HANDLE 70 mm for OVEN



ZANUSSI 003747

3243266 O-RING 02081 EPDM



ZANUSSI 052779

3242206 SPRING FOR DOOR HANDLE 176 mm for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

3242454 OVEN DOOR HANDLE

for Convection oven electric (ZANUSSI) FCS101E
FCS102E - FCS61E
for Convection oven gas (ZANUSSI) FCS101G
FCS102G - FCS61G



ZANUSSI 0C1588

3526137 BUTTON FOR ELETTROSIT VALVE



ZANUSSI 053820

ZANUSSI 053992

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON for OVEN



ZANUSSI 005624

3242205 SPRING F/DOOR HANDLE DIVERTER ø 22x30 mm for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

3242456 DOOR HANDLE STRIKE SUPPORT distance between mounting holes 40 mm for OVEN



ZANUSSI 0C1583



Suitable for:

3242455 DOOR LOCKING MECHANISM
for OVEN



ZANUSSI 0C1581

ZANUSSI



Suitable for:

3242459 STRIKE FOR DOOR HANDLE M8x1
total length 34.5 mm
for OVEN



ZANUSSI 0C1584

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E40
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40



ZANUSSI 003010

ZANUSSI 053990

3242217 PIN FOR OVEN DOOR HANDLE M6x1
dimensions $\varnothing$ 12x66 mm
for OVEN



ZANUSSI 053766

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

3242738 OVEN DOOR HANDLE
for OVEN series FCF-ECF-ZCF-ACF-NCF 6-10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 0F0135

3526137 BUTTON FOR ELETTROSIT VALVE



ZANUSSI 053820

ZANUSSI 053992

3242205 SPRING F/DOOR HANDLE DIVERTER $\varnothing$ 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

3242739 DIVERTER FOR DOOR HANDLE 107 mm
for OVEN



ZANUSSI 0C0447



Suitable for:

3243266 O-RING 02081 EPDM



ZANUSSI 052779

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ZANUSSI 002647

3242210 OVEN DOOR 196x30 mm HANDLE KIT
with strike M5x1 $\varnothing$ 9x45 mm
handle mounting distance 147 mm
for OVEN series FCV-FCF ELECTRIC-GAS 6 SHELVES
for OVEN series FCVA/G 6 SHELVES
for Convection oven (ZANUSSI) - Series FCF
Series FCV
for Convection oven gas (ZANUSSI) FCVA/G6



ZANUSSI 002084

ZANUSSI 002085

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ZANUSSI 002088

ZANUSSI

Suitable for:



3242450 OVEN DOOR HANDLE 260x30 mm
handle mounting holes distance 122-133 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E6
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



ZANUSSI 0H6459

ZANUSSI 0K1669

3242208 PIN FOR OVEN DOOR HANDLE M5x1
dimensions $\varnothing$ 9x45 mm
for OVEN



ZANUSSI 002086

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ZANUSSI 054560



Suitable for:

Suitable for:

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 0K2246 ZANUSSI 003822

ZANUSSI 056551

3242208 PIN FOR OVEN DOOR HANDLE M5x1
dimensions $\varnothing$ 9x45 mm
for OVEN

3242228 PIN FOR OVEN DOOR HANDLE M5x1
dimensions $\varnothing$ 10x22 mm
for OVEN



ZANUSSI 002086

ZANUSSI 054854

3242217 PIN FOR OVEN DOOR HANDLE M6x1
dimensions $\varnothing$ 12x66 mm
for OVEN

3242181 RIGHT OVEN DOOR HANDLE
for Convection oven (CONVOTHERM) OD06.10 - OD10.20
OD12.20 - OD20.10 - OD20.20 - OSG20.20
for Convection oven electric (CONVOTHERM) OD10.10
OS06.10 - OS10.10 - OS10.20 - OS12.20
OS20.10 - OS20.20



ZANUSSI 053766

ZANUSSI 0K8322

3242203 SCREW CAP
for CONVECTION OVEN old series

3242205 SPRING F/DOOR HANDLE DIVERTER $\varnothing$ 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 0C6059 ZANUSSI 055043 ZANUSSI 055661

ZANUSSI 053757

ZANUSSI 055687



ZANUSSI



Suitable for:

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



ZANUSSI 0C6978

Suitable for:

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ZANUSSI 002088

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ZANUSSI 055558

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ZANUSSI 054560

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



ZANUSSI

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056571

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for Convection oven (WHIRLPOOL) AGB633 - AGB638
AGB639 - AGB640
for Convection oven electric (WHIRLPOOL) FMIE102F
FMIE103F - FMIE63F
for Convection oven gas (WHIRLPOOL) FMIG103F
FMIG63F



ZANUSSI 0K8039

ZANUSSI 002650

3242458 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



ZANUSSI 0H6728

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ZANUSSI 0C2215



Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8x1
overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



ZANUSSI 0C4092

Suitable for:

3242459 STRIKE FOR DOOR HANDLE M8x1
total length 34.5 mm
for OVEN



ZANUSSI 0C1584

3242673 TOP TIE ROD SHAFT $\varnothing$ 10x112 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ZANUSSI 056552

Heat exchangers

3240745 TOROIDAL EXCHANGER
fan housing $\varnothing$ approx. 410 mm
for Convection oven gas (ZANUSSI)
since 1/11/97
FCV/G10



ZANUSSI 003881

3786117 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003873

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003875

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874



Suitable for:

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

3240746 TOROIDAL EXCHANGER
fan housing $\varnothing$ approx. 485 mm
for Convection oven gas (ZANUSSI)
since 1/11/97
FCV/G20



ZANUSSI 003884

3786119 HEAT EXCHANGER GASKET 140x135 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003882

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

ZANUSSI



Suitable for:

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003875

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874

Heating elements

3755572 BRACKET FOR HEATING ELEMENT
external $\varnothing$ 90 mm - internal $\varnothing$ 50 mm
thickness 2.5 mm - distance between holes 63 mm



ZANUSSI 003362

ZANUSSI 065558



Suitable for:

ZANUSSI



Suitable for:

Heating elements

3755239 CHAMBER HEATING ELEMENT 5600W 230V
external ø 495 mm - overall height 65 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
FCF/E10 - FCF/E20 - FCS101E - FCS102E
FCS201E - FCS202E - FCV/E10 - FCV/E20
FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
ZCV/E202



ZANUSSI 002688

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003726

3755238 CHAMBER HEATING ELEMENT 8000W 400V
external ø 580 mm - overall height 70 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
FCF/E10 - FCF/E20 - FCS101E - FCS102E
FCS201E - FCS202E - FCV/E10 - FCV/E20
FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
ZCV/E202



ZANUSSI 0A5330

ZANUSSI 0C5242

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003726

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689




ZANUSSI



Suitable for:

Suitable for:

3755585 HEATING ELEMENT 1000/1100W 230/240V
length 340 mm - width 350 mm
flange 80x15 mm
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4



ZANUSSI 005218

3355720 HEATING ELEMENT 1000W 220V
immersed length 225 mm - width 60 mm
flange 80x28 mm - with receptacle hole
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6199

3355724 HEATING ELEMENT 1000W 230V
immersed length 450 mm - width 65 mm
flange 70x22 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6195

ZANUSSI 0K0601

3355056 HEATING ELEMENT 17000W 220/380V
immersed length 470 mm
flange external ø 63 mm
complete with O-RING
complete with cables
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-4 - FV/E4



ZANUSSI 056012

3186013 O-RING GASKET 06187 EPDM ø 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3455337 HEATING ELEMENT 17000W 220V
immersed depth 575 mm
flange external ø 63 mm
complete with O-RING
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-3 - FCV/E10-4 - FCV/E20-2V



ZANUSSI 058672

ZANUSSI 058676

3186013 O-RING GASKET 06187 EPDM ø 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456



Suitable for:

Suitable for:

3755171 HEATING ELEMENT 17000W 230V

immersed depth 590 mm
flange external $\varnothing$ 63 mm
with bulb sheath
complete with O-RING
for Convection oven electric (ZANUSSI) ACV/E10
ECV/E10 - FCS101E - FCS102E - FCV/E10
FCV/E10-P - ZCV/E10



ZANUSSI 0C5336

ZANUSSI 0F0095

ZANUSSI 058995

ZANUSSI 059003

3755572

BRACKET FOR HEATING ELEMENT

external $\varnothing$ 90 mm - internal $\varnothing$ 50 mm
thickness 2.5 mm - distance between holes 63 mm



ZANUSSI 003362

ZANUSSI 065558

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3755573 HEATING ELEMENT 17000W 400V

immersed length 450 mm
flange external $\varnothing$ 72 mm
with bulb sheath
for Convection oven electric (ZANUSSI) AOS101E
AOW101E - FCZ101E



ZANUSSI 0C5384

ZANUSSI 007076

3186014

O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ZANUSSI 0E5037

ZANUSSI 007029

ZANUSSI 047156

ZANUSSI 049909

3355363 HEATING ELEMENT 2000W 230V

length 200 mm - width 35 mm
for 180 mm tangential fan



ZANUSSI 0K4812



ZANUSSI



Suitable for:

3355590 HEATING ELEMENT 2000W 230V
length 325 mm - width 290 mm
flange 40x22 mm
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4 - FCF/E4D - FCFE4PH



ZANUSSI 054326

Suitable for:

3247036 3-POLE TERMINAL BLOCK
for CONV/ELECTRIC OVEN 4 SHELVES



ZANUSSI 054331

3355588 HEATING ELEMENT 20000W 380V
for boiler
immersed length 595 mm
flange external $\varnothing$ 63 mm - complete with cable
complete with O-RING
for Convection oven electric (ZANUSSI) FCV/E20-2
FCV/E20-3 - FCV/E20-4 - FCVE20-2UK
FCVE20-4UK



ZANUSSI 056013

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3755177 HEATING ELEMENT 24000W 400V
immersed depth 590 mm
flange external $\varnothing$ 63 mm
with bulb sheath
complete with O-RING
for Convection oven electric (ZANUSSI) ACV/E10
ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
ECV/E202 - FCS101E - FCS102E - FCS201E
FCS202E - FCV/E10 - FCV/E201 - FCV/E202
ZCV/E10 - ZCV/E201 - ZCV/E202



ZANUSSI 0C5337

ZANUSSI 002751

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3755572 BRACKET FOR HEATING ELEMENT
external $\varnothing$ 90 mm - internal $\varnothing$ 50 mm
thickness 2.5 mm - distance between holes 63 mm



ZANUSSI 003362

ZANUSSI 065558



Suitable for:

Suitable for:

40C5383 HEATING ELEMENT 24000W 400V SET

immersed length 570 mm
flange external 72 mm
with bulb sheath
complete with O-Ring
for boiler
for Convection oven electric (ZANUSSI) AOS102E
AOS201E - AOS202E - EJN102E - EJN201E
EJN202E - FCZ102E - FCZ201E - FCZ202E
RDR201E



ZANUSSI 0C5383

ZANUSSI 007101

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ZANUSSI 0E5037

ZANUSSI 007029

ZANUSSI 047156

3355055 HEATING ELEMENT 2500W 220V

external ø 190 mm - overall height 93 mm
flange 70x22 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 054317

ZANUSSI 054843

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ZANUSSI 057534

3355580 HEATING ELEMENT 2500W 230V

inner part length 540 mm - width 350 mm
flange 70x20 mm
for Convection oven electric (ZANUSSI) ACF/E6
ECF/E6 - FCF/E6 - JCF/E6 - NCF/E6 - RCF/061E
ZCF/E6



ZANUSSI 056945

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ZANUSSI 057534

3355889 HEATING ELEMENT 2500W 230V

external ø 190 mm - total height 70 mm
flange 70x22 mm
for Convection oven electric (GARBIN) 12GX - 23MX
23MXUMI - 43MX - 43MXUMI



ZANUSSI 004934

3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ZANUSSI 057534



ZANUSSI



Suitable for:

Suitable for:

3355722 HEATING ELEMENT 3000W 230V
immersed length 330 mm - width 135 mm
flange 85x30 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6166

3186187 HEATING ELEMENT GASKET
external dimensions 68x13 mm



ZANUSSI 0H6665

ZANUSSI 0K1831

3355723 HEATING ELEMENT 3000W 230V
immersed length 565 mm - width 150 mm
2 flanges 70x22 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6188

3755586 HEATING ELEMENT 3200W 400V
external $\varnothing$ 385 mm - total height 70 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) AOS061E
EJN061E - FCZ061E - RDR061E



ZANUSSI 0C5362

ZANUSSI 006984

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3755518 HEATING ELEMENT 3750W 230V
length 540 mm - width 350 mm
altezza totale 635 mm
for Convection oven electric (ZANUSSI) FCV/E6-1
FCV/E6-3



ZANUSSI 056930

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 055327



Suitable for:

Suitable for:

3355718 HEATING ELEMENT 5600W 230V
for boiler
immersed length 270 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
5511-3
for Convection oven electric (ZANUSSI)



3355719 HEATING ELEMENT 5600W 380V
immersed length 270 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (JUNO-RÖDER-SENKING)
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6146

ZANUSSI 0H6164

3355586 HEATING ELEMENT 5666W 230V
external ø 490 mm
flange 75x50 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E10-P - FCV/E10-2 - FCV/E10-3
FCV/E10-4 - FCV/E20-2V



3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (ZANUSSI)



ZANUSSI 053839

ZANUSSI 054620

ZANUSSI 058196

ZANUSSI 055327

ZANUSSI 058197

3755565 HEATING ELEMENT 5670W 400V
external ø 490 mm - total height 75 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS201E - EJNI201E - FCZ101E - FCZ201E
RDR201E



3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 0C5364

ZANUSSI 007064

ZANUSSI 002689



Suitable for:

Suitable for:

3355106 HEATING ELEMENT 6000W 230/400V

for wash tank and boiler
immersed length 350 mm
flange external $\varnothing$ 72 mm
with thermostat probe receptacle
with O-ring
upon request nut and washer
for Convection oven electric (ANGELO P0) FV2SE
for Convection oven electric (LAINOX) FV03 - FV06
ME05 - ME10 - ME105L - ME105S - ME15 - ME20
ME21 - ME24 - ME40 - MME05 - MME10 - MME15
MME20 - MME21 - MME24 - MME40



ZANUSSI 049898

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ZANUSSI 0E5037

ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

3355589 HEATING ELEMENT 7900W 230V

for boiler
immersed length 280 mm
flange external $\varnothing$ 63 mm
complete with O-RING
for Convection oven electric (ZANUSSI) FCV/E6-1
FCV/E6-3 - FCVM/E6-2 - XFV/E700



ZANUSSI 058666

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm

for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3455300 HEATING ELEMENT 800/1750W 230V

870/1900W 240V
length 340 mm - width 350 mm
flange 120x25 mm
per FORNO FCF/E4
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 005205



Suitable for:

3355582 HEATING ELEMENT 8000W 230V
length 645 mm - overall height 245 mm
flange 75x50 mm
upon demand nut and washer
for Convection oven electric (ZANUSSI) FCF/E20
FCF/E40 - FCV/E20



ZANUSSI 054050

ZANUSSI 054051

ZANUSSI 056929

Suitable for:

3186099 HEATING ELEMENT GASKET
external dimensions 76x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 053840

3355584 HEATING ELEMENT 8000W 380V
length 645 mm - overall height 240 mm
flange 75x50 mm
upon demand nut and washer
for Convection oven electric (ZANUSSI) FCV/E20
FCV/E20-P - FCV/E20-4 - FCVE20-2UK
FCVE20-4UK



ZANUSSI 055481

ZANUSSI 056970

3186099 HEATING ELEMENT GASKET
external dimensions 76x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 053840

3755574 HEATING ELEMENT 8000W 400V
external $\varnothing$ 575 mm - overall height 70 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) AOS102E
AOS202E - EJV102E - EJV202E - FCZ102E
FCZ202E



ZANUSSI 0C1173

ZANUSSI 0C5365

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3755240 HEATING ELEMENT 9000W 230V
immersed depth 290 mm
flange external $\varnothing$ 63 mm
with bulb sheath
complete with O-RING
for Convection oven electric (ZANUSSI) ECV/E6
FCS061E - FCV/E6 - RCV/E6 - ZCV/E6



ZANUSSI

ZANUSSI 002835

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456



ZANUSSI



Suitable for:

Suitable for:

3755597 HEATING ELEMENT 9000W 400V
immersed length 450 mm
flange external $\varnothing$ 72 mm
with bulb sheath
for Convection oven electric (ZANUSSI) AOS061E
EJN061E - FCZ061E - RDR061E

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ZANUSSI 0C5381

ZANUSSI 007030

ZANUSSI 0E5037
ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

Hinges, catches and accessories

3053016 DOOR CATCH FOR HINGE
distance between holes 79 mm - total length 89 mm
h 23 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 058934

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227

40KB730 DOOR LOCK
for Convection oven electric (ZANUSSI) CC030G
ECO312CF - OTS100



ZANUSSI 0KB730

3053233 HINGE POSITIONER
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 002653

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ZANUSSI 0A2004

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227



ZANUSSI



Suitable for:

3053576 OVEN BOTTOM DOOR HINGE
dimensions 125x50 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ZANUSSI 002652

Suitable for:

3053233 HINGE POSITIONER
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 002653

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ZANUSSI 003721

3053237 OVEN DOOR GLASS BOTTOM HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ZANUSSI 002875

3053238 OVEN DOOR GLASS TOP HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ZANUSSI 002876

3053237 OVEN DOOR GLASS BOTTOM HINGE
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ZANUSSI 002875

3053236 OVEN DOOR TOP HINGE
for Convection oven (ZANUSSI) - Series FCF
Series FCV



ZANUSSI 055316

3053352 OVEN DOOR TOP HINGE
for OVEN series 10-20 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ZANUSSI 003720

3053353 OVEN DOOR BOTTOM HINGE
for OVEN series 10 SHELVES
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series JCF - Series NCF
Series ZCF



ZANUSSI 003721



ZANUSSI



Suitable for:

3053577 OVEN TOP DOOR HINGE

for OVEN 6-10 GRILLS
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ZANUSSI 002651

3053576 OVEN BOTTOM DOOR HINGE

dimensions 125x50 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ZANUSSI 002652

3053015 RIGHT/LEFT HINGE FOR OVEN

distance between holes 155 mm - total length 200mm
height 170 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 056339

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



ZANUSSI 0A2005

Suitable for:

3053233 HINGE POSITIONER

for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 002653

3053516 RIGHT/LEFT HINGE FOR OVEN

overall length 210 mm - width 21 mm
holes mounting distance 120 mm
for Convection oven electric (WHIRLPOOL) 4GN1/1
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005186

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227



Suitable for:

ZANUSSI



Suitable for:

Hose reels

3359553 WASHING UNIT MINIREEL
stainless steel case aisi 304
with automatic retractor
EPDM hose $\varnothing$ 13 mm
pull-out hose length 160 cm
complete with shower ECO/F
for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M
with coupling 3/8" M x 1/2" M



ZANUSSI 003175

Hose-end fittings

3315106 3-WAY HOSE END RUBBER FITTING $\varnothing$ 10 mm



ZANUSSI 047431

Injectors

3500083 GAS JET M10x1 $\varnothing$ 1.70 mm



ZANUSSI 054083

3500082 GAS JET M10x1 $\varnothing$ 1.90 mm



ZANUSSI 054033

3500081 GAS JET M10x1 $\varnothing$ 2.10 mm



ZANUSSI 056147

3500084 GAS JET M10x1 $\varnothing$ 3.30 mm



ZANUSSI 055388

3500085 GAS JET M10x1 $\varnothing$ 3.40 mm



ZANUSSI 054128



Suitable for:

ZANUSSI



Suitable for:

Insulators

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

Interference suppression filters

3160099 INTERFERENCE SUPPRESSION FILTER 0,47μF



ZANUSSI 046217

3160233 THREE-PHASE FILTER RFI 250V
for Convection oven (ZANUSSI)



ZANUSSI 049303

Ironmongery (screws,nuts,washers)

3528066 NUT INOX M26x1.5 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056409

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588
for Convection oven (FRIMA) CD6



ZANUSSI 0K4516

3528067 WASHER 22x12x2 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056416



Suitable for:

Suitable for:

Knobs

3241867 BLACK KNOB ø 55 mm

D-shaped hole 6x4.6 mm
for Convection oven (WHIRLPOOL) ACF/E10 - ACF/E101
ACF/E102 - ACF/E20 - ACF/E201 - ACF/E202
ACV/E10C4 - ACV/E102/1C4 - ACV/E20/C4
ACV/E202/1C4
for Convection oven electric (ZANUSSI) FCF/E6
for Convection oven gas (WHIRLPOOL) ACV/G10C4
ACV/G102/1C4 - ACV/G20C4 - ACV/G202/1C4
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G6 - FCF/G6



ZANUSSI 0A5323

3241675 BLACK KNOB ø 60 mm

D-shaped hole 6x4.6 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 007044

3241673 KNOB WASHER

for Convection oven (ZANUSSI)



ZANUSSI 002727

3241674 KNOB BUSHING

for Convection oven (ZANUSSI)



ZANUSSI 002662

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 051263

3241055 FIXING CLIP

for knob with ø 8 mm hole



ZANUSSI 025245



ZANUSSI



Suitable for:

Suitable for:

3241328 GREY KNOB ø 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E6
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G6

3241055 FIXING CLIP
for knob with ø 8 mm hole



ZANUSSI 056198

ZANUSSI 025245

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ZANUSSI 053816

3241672 GREY KNOB ø 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FCV/E6
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCV/G6



ZANUSSI 002672

3241329 GREY KNOB ø 55 mm WITH SILKSCREEN PRINT
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E40
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ZANUSSI 055026

ZANUSSI 056222

ZANUSSI 053816



ZANUSSI



Suitable for:

Suitable for:

3241069 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series 6-10-20-40 GRIGLIE

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ZANUSSI 0C3022

ZANUSSI 003844

ZANUSSI 075543

ZANUSSI 053816

3241330 GREY KNOB ø 55 mm 0-120°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E2 - FCF/E20 - FCF/E40 - FCF/E6 - FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40 - FCF/G6 - FCV/G10 - FCV/G20

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ZANUSSI 053814

ZANUSSI 055364

ZANUSSI 056128

ZANUSSI 053816

3241327 GREY KNOB ø 55 mm 50-250°C
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E40 - FCV/E10 - FCV/E20 - FCV/E6
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G40 - FCV/G10 - FCV/G20 - FCV/G6

3186342 GASKET FOR OVEN
soft - external ø 13,5 mm



ZANUSSI 053813

ZANUSSI 056197

ZANUSSI 053816

3241674 KNOB BUSHING
for Convection oven (ZANUSSI)

3241141 KNOB EXTENSION
D-shaped hole 10x8 mm
for gas valve
for OVEN-FRYER



ZANUSSI 002662

ZANUSSI 059305



ZANUSSI



Suitable for:

3241142 KNOB GASKET ø 44 mm



ZANUSSI 059326

Suitable for:

3241673 KNOB WASHER
for Convection oven (ZANUSSI)



ZANUSSI 002727

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 051263

Lamps

3221399 CERAMIC LAMP RECEPTACLE E14
max temperature 300°C
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002625

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002627

3520022 OVEN GLASS FRAME ø 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002628

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ZANUSSI 054319

ZANUSSI 054840



Suitable for:

3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ZANUSSI 0H2410

Suitable for:

3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions $\varnothing$ 48x38x5 mm
for OVEN



ZANUSSI

3221349 GLASS F.OVEN RECEPTACLE LAMP $\varnothing$ 72 mm

for Proving oven electric (MORETTI) L105.105
L60.60 - L65.105
for Proving oven electric (ZANUSSI) FLP55 - FLP80
ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L



ZANUSSI 003451

ZANUSSI 004163

3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ZANUSSI 0H6989

ZANUSSI 0K7522

3520021 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 44 mm

for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002627

3221005 GREEN INDICATOR LAMP 220/380V

head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221032 GREEN INDICATOR LAMP 230V

head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221132 GREEN INDICATOR LAMP 230V

head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 004169

ZANUSSI 058544



ZANUSSI



Suitable for:

3221164 GREEN INDICATOR LAMP 230V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
dashboard mounting



ZANUSSI 054150+054151

Suitable for:

3221045 GREEN LAMP CAP $\varnothing$ 7 mm



ZANUSSI 054151

3221045 GREEN LAMP CAP $\varnothing$ 7 mm



ZANUSSI 054151

3221162 GREEN LAMP RECEPTACLE
head $\varnothing$ 14.5 mm - hole $\varnothing$ 10 mm



ZANUSSI 004896

3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 370 mm
mounting hole $\varnothing$ 42 mm
for Convection oven electric (ZANUSSI) FCV/E101
FCV/E102 - FCV/E201 - FCV/E202
for Convection oven gas (ZANUSSI) FCS061G
FCV/G101 - FCV/G20 - FCV/G201



ZANUSSI 0C1555

ZANUSSI 006106

3520021 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002627

3520022 OVEN GLASS FRAME $\varnothing$ 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002628

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056



Suitable for:

3221300 LAMP RECEPTACLE E14
max temperature 300°C
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 054320

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ZANUSSI 054319

ZANUSSI 054840

3221120 LAMP RECEPTACLE E14 25W 230V
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



ZANUSSI 0H6617

ZANUSSI 054991

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 54 mm
mounting hole ø 45 mm
max temperature 300°C



ZANUSSI 056708

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 0H7035



Suitable for:

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 57 mm
mounting hole ø 42 mm
max temperature 300°C
for OVEN
for Convection oven electric (COVEN) TEC10 - TEC2
TEC3 - TEC4P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC6G - TEC7G



ZANUSSI

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



ZANUSSI 004160

3221068 NEON LAMP FOR OVEN E14 2W 380V
dimensions ø 13x30 mm
for OVEN



ZANUSSI 0H7037

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
for Convection oven electric (FAGOR) COE-061
COE-101 - VE-061 - VE-101 - VPE-061 - VPE-101



ZANUSSI 0H7038

3221639 NEUTRAL HALOGEN LAMP G4 10W 12V
max temperature 300°C
for Convection oven (ZANUSSI)
for Convection oven electric (DIAMOND) SDE/10CL



ZANUSSI 0C4396

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
for Electric oven (ELOMA) 12-21 MULTIMAX



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 048832

ZANUSSI 046241

ZANUSSI 048488



Suitable for:

3221006 ORANGE INDICATOR LAMP 220/380V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

Suitable for:

3221112 ORANGE INDICATOR LAMP 220V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
application to the board



ZANUSSI 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221033 RED INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221032 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221095 ORANGE INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 005215

ZANUSSI 058522

3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application
for Convection oven gas (MORETTI) TEVERE HI-TECH
for Proving oven electric (MORETTI) AHL
AMALFI L-P120EL - AMALFI L-P60 - AMALFI L-P80
F40EL - F80EL - F80L - L105.105 - L105.65
L60.60 - L65.105 - MHL - P110L - RHL - TVHL



ZANUSSI 0KM981

3221163 ORANGE LAMP RECEPTACLE
head $\varnothing$ 15 mm - hole $\varnothing$ 10 mm



ZANUSSI 004928

3520022 OVEN GLASS FRAME $\varnothing$ 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002628



Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN – PIZZA OVEN



ZANUSSI 0H7035

Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 – Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



ZANUSSI 054319

ZANUSSI 054840

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C
for Convection oven



ZANUSSI 081696

3221004 RED INDICATOR LAMP 220/380V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ZANUSSI 053153

3221005 GREEN INDICATOR LAMP 220/380V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221006 ORANGE INDICATOR LAMP 220/380V
head 16x16 mm - hole ø 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155



Suitable for:

3221033 RED INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2408

Suitable for:

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ZANUSSI 055022

3221358 WHITE LAMP RECEPTACLE
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm
for Convection oven electric (GIORIK) EF4



ZANUSSI 046289

Leak detectors for gas

3394009 GAS LEAK FINDER SE151NM
for natural gas and lpg leaks finding.
standard 4 batteries 1.5V power supply
battery life 7 hours of continuous working
with imitation leather case
calibration is reached through sensitivity adjustm
in no polluting gas air so that
the buzzer gives one pulse every second.
As soon as the sensor is in a polluted
environment the pulses frequency
increases.



ZANUSSI 0S2023

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven (ZANUSSI) ACV - ECV
Series FCS - Series FCV - FDV - ZCV



ZANUSSI 055458

3341003 LEVEL PROBE $\varnothing$ 1/4" M - 110 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 056449



Suitable for:

3341002 LEVEL PROBE $\varnothing$ 1/4" M - 114.5 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1086

ZANUSSI 055346

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz
for Convection oven electric (FOINOX) FM100EM
FM200EM - FM201EM - FM401EM - FM60EM
for Convection oven gas (FOINOX) FM100GM - FM200GM
FM201GM - FM401GM - FM60GM



ZANUSSI 088196

ZANUSSI



Suitable for:

3341001 LEVEL PROBE $\varnothing$ 1/4" M - 155 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA - Series FV
for Convection oven electric (ZANUSSI) AR6ES



ZANUSSI 0C1055

ZANUSSI 0C1105

ZANUSSI 053909

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435

3341038 LEVEL ADJUSTER RL30/3ES/11
24V 50/60Hz
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FV/E4 - FV/G4



ZANUSSI 053913

Level sensors

3341003 LEVEL PROBE $\varnothing$ 1/4" M - 110 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 056449

3341002 LEVEL PROBE $\varnothing$ 1/4" M - 114.5 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1086

ZANUSSI 055346

3341019 LEVEL PROBE $\varnothing$ 1/4" M - 122 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA



ZANUSSI 0A2838

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347



Suitable for:

Suitable for:

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435

3341033 LEVEL PROBE $\varnothing$ 1/4" M - 139 mm
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 003878

3341001 LEVEL PROBE $\varnothing$ 1/4" M - 155 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA - Series FV
for Convection oven electric (ZANUSSI) AR6ES



ZANUSSI 0C1055

ZANUSSI 0C1105

ZANUSSI 053909

3341072 LEVEL PROBE $\varnothing$ 1/4" M - 240 mm
for Convection oven (ZANUSSI) - Series ACV
Series AOS - Series ECV - Series EJV - Series FCS
Series FCV - Series FCZ - Series ZCV



ZANUSSI 005879

3341034 LEVEL PROBE 77 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series FDV
Series ZCV
for Convection oven gas (ZANUSSI) RCV101G4



ZANUSSI 002632

3341032 SPACER FOR PROBE 16 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 002633

3341032 SPACER FOR PROBE 16 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 002633



ZANUSSI



Suitable for:

3397173 WATER LEVEL PROBE 125 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series RCV
Series ZCV



ZANUSSI 002694

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435

Suitable for:

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347

Magnet groups

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ZANUSSI 056587

3182005 MAGNETIC UNIT SIT
ø head 19 mm - ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ZANUSSI 056588

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

Microswitches

3240401 ACTUATOR FOR MICROSWITCH
for OVEN
for Convection oven electric (ZANUSSI) FCFE40
FCFE40D - FCVE10-2 - FCVE10-4 - FCVE20-2
FCVE20-4
for Convection oven gas (ZANUSSI) FCFG40 - FCFG40D
FCVG10-2 - FCVG10-4 - FCVG20-2 - FCVG20-4



ZANUSSI 054902

3240605 DOOR MICROSWITCH M1AX20 10A 250V
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM
for Convection oven gas (ZANUSSI) FCS061G



ZANUSSI 002785

ZANUSSI 046063

3240469 MAGNETIC MICROSWITCH E7101B
50VA 250V - NO contact - head 50x19 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049621

3240148 MICROSWITCH MAGNET 63x19x11 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049627

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



ZANUSSI 069484

3240410 MICRO SWITCH 16A 250V
for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
for IPSO CALENDER RI1600/30-RI1600/30AV



ZANUSSI

3240148 MICROSWITCH MAGNET 63x19x11 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049627

3240406 MICROSWITCH 10A 250V
for Convection oven electric (JUNO-RÖDER-SENKING)
5717-3



ZANUSSI 0H6597



Suitable for:

Suitable for:

3240123 MICROSWITCH 16A 250V



ZANUSSI 0KI505

3240820 MICROSWITCH 16A 250V



ZANUSSI 0KB678

ZANUSSI 046286

ZANUSSI 047485

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ZANUSSI 045404

ZANUSSI 45404

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ZANUSSI 045404

ZANUSSI 45404

3240401 ACTUATOR FOR MICROSWITCH

for OVEN
for Convection oven electric (ZANUSSI) FCFE40
FCFE40D - FCVE10-2 - FCVE10-4 - FCVE20-2
FCVE20-4
for Convection oven gas (ZANUSSI) FCFG40 - FCFG40D
FCVG10-2 - FCVG10-4 - FCVG20-2 - FCVG20-4



ZANUSSI 054902



Suitable for:

ZANUSSI



Suitable for:

Motors

3240290 MAIN SHAFT SEALING GASKET

external ø 38 mm

internal ø 16 mm

height 17 mm

for Convection oven electric (ZANUSSI) ACF/E10

ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4

ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6

for Convection oven gas (ZANUSSI) ACF/G10

ACF/G102/1 - ACV/G10C4 - ACV/G10C6

ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4

ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

3340063 MOTOR FAN 24/28W 220/240V 50/60Hz

for Convection oven electric (WHIRLPOOL) FFE4



ZANUSSI 005202

3340064

MOTOR FAN ø 145 mm

for Convection oven electric (WHIRLPOOL) FFE4



ZANUSSI 005221

3240907 MOTOR FLANGE

external ø 270 mm - flange internal ø 16 mm

height 3.5 mm

for Convection oven electric (ZANUSSI)

for Convection oven gas (ZANUSSI)



ZANUSSI 058957

3240115

MOTOR HANNING L7ZAW4D-099 0.245Kw

230/415V 50/60Hz

for Convection oven (FRIMA) CD101 - CD201 - CD6

for Convection oven electric (HOBART) CS0611E

for Convection oven electric (KÜPPERSBUSCH) ECD106

ECD120

for Convection oven electric (RATIONAL) CC101

CC201 - CC6 - CD101 - CD20 - CD201 - CD6

CM101 - CM20 - CM201 - CM6



ZANUSSI 0H6929



Suitable for:

Suitable for:

3240742 MOTOR LM/FB 100L 4/6 0.75/0.22Kw 230V
50/60Hz - 2.4/1.0A - 955/1460rpm
capacitor 16 μ F
for Convection oven electric (ZANUSSI) AOS102E
AOS202E
for Convection oven gas (ZANUSSI) AOS102G
AOS202G

3240740 MOTOR LM/FB 80 4/6 0.19/0.06Kw 230V
50/60Hz - 1.5/0.7A - 930/1380rpm
capacitor 12.5 μ F
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
FCS061E - FCS101E - FCS102E
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - FCS101G - FCS102G
JCF/G6



ZANUSSI 0C1171

ZANUSSI 0C6563



ZANUSSI 002698

ZANUSSI 005028

3240741 MOTOR LM/FB 80 4/6 0.19/0.06Kw 230V
50/60Hz - 1.6/0.75A - 890/1385rpm
capacitor 12.5 μ F
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G

3240287 MOTOR LM/FB80 4/6 0.11/0.35Kw 230V
50/60Hz - 1.3/2.7A - 900/1400rpm
capacitor 16 μ F
for Convection oven (ZANUSSI) - Series FCS
Series FCV - Series JCF
for Convection oven electric (ZANUSSI)
ACV/E102/1C4



ZANUSSI 006998



ZANUSSI 002748

3240262 MOTOR LM80/4 0.19Kw 230V 50/60Hz
1.3A - 1450/1750rpm
for Convection oven electric (ZANUSSI)
Series ACF/E - Series ACV/E - C7E4 - C7E6 - C7PE4
Series FCF/E - FCS101E - Series FCV/E - FCV/E201
FCV/E202 - Series ZCF/E - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) - Series ACF/G
ACF/G101 - Series ACV/G - Series FCF/G
FCF/G101 - FCS061G - FCS101G - Series FCV/G
FCV/G201 - FCV/G202 - Series ZCF/G - ZCV/G201
ZCV/G202

3240261 MOTOR LM80/4 0.35Kw 230V 50/60Hz
2.7A - 1400/1700rpm - capacitor 16 μ F
for 10 GRILLS versions
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 0F0007

ZANUSSI 002616

ZANUSSI 005750



ZANUSSI 002739



Suitable for:

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 058731

Suitable for:

3240263 MOTOR WITH FAN 38W 220V 50Hz
fan ø 153 mm
for Convection oven electric (ZANUSSI) AFCF/E2
FCF/E2 - ZCF/E2



ZANUSSI 054842

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



ZANUSSI 0A2010

ZANUSSI 004933

ZANUSSI 031484

ZANUSSI 054314

3240744 MOTOR WITH FAN 50W 220/230V 50Hz
fan ø 80 mm
for Convection oven electric (ZANUSSI) CCO30
CCO30G - OTS100



ZANUSSI 0KB666

3240016 MOTOR 1052.2500 0.19Kw 220/380V 50Hz
1.4/0.9A 1400rpm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ZANUSSI 054836

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ZANUSSI 053782

ZANUSSI 054890

3240015 MOTOR 1052M 0.1Kw 220V 50Hz
1A 1400rpm - capacitor 4 µf
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3



ZANUSSI 054829

3240110 FAN ø 280 mm
thickness 100 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3



ZANUSSI 054585

ZANUSSI 055422



ZANUSSI



Suitable for:

3240019 MOTOR 1053.2500 0.35Kw 220/380V 50Hz
1.8/1.04A 1400rpm
for Convection oven electric (ZANUSSI) FCF/E20
FCF/E40 - FCFE202 - FCFV/E20 - FCFV/E6-1
ZOFCV/E202 - ZOFCV/E204
for Convection oven gas (ZANUSSI) FCF/G20
FCF/G40 - FCFC202 - FCFG202



ZANUSSI 054837

ZANUSSI 058607

Suitable for:

3240112 FAN ø 440 mm
thickness 152 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E20
FCF/E40 - FCFE202 - FCFV/E20 - FCFV/E6-1
ZOFCV/E202 - ZOFCV/E204
for Convection oven gas (ZANUSSI) FCF/G20
FCF/G40 - FCFC202 - FCFG202



ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

3240715 MOTOR 1092M 0.1Kw 220V 50Hz
0.9A 1350rpm - capacitor 4 µf
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6
for Convection oven gas (ZANUSSI) FCF/G6 - FCFV/G6



ZANUSSI 058587

3240110 FAN ø 280 mm
thickness 100 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCFV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCFV/G6
FCV/G6-1 - ZOFCV/G6-3



ZANUSSI 054585

ZANUSSI 055422

3391040 MOTOR BASE
for Convection oven (ZANUSSI)



ZANUSSI 058729

3240907 MOTOR FLANGE
external ø 270 mm - flange internal ø 16 mm
height 3.5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 058957

3240017 MOTOR 110.4.370M 0.37Kw 230V 50/60Hz
2.7A 1400rpm - capacitor 10 µf
(old type)
for Convection oven (ZANUSSI)



ZANUSSI 057970



Suitable for:

ZANUSSI



Suitable for:

Non-return and expansion valves

- 1526503 NON-RETURN VALVE $\varnothing$ 40 mm**
ballcock - outlets $\varnothing$ 12 mm
stainless steel cap



ZANUSSI 005762

ZANUSSI 049332

Outlet solenoid valves and accessories

- 3525014 BOILER MOTOR DRAIN VALVE**
230V 50/60Hz 2.5W
fittings $\varnothing$ 1"FF DN25
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series ZCV



ZANUSSI 005026

- 3525021 BOILER MOTOR DRAIN VALVE**
230V 50/60Hz
fittings $\varnothing$ 3/4"FF
for Convection oven (ZANUSSI) - Series AOS
Series AOW - Series CS - Series ECV - Series EJV
Series FCS - Series FCV - Series FCZ - Series RDR
Series ZCV



ZANUSSI 0C0882

ZANUSSI 002713

OR and ORM gaskets

- 1186230 O-RING GASKET 0164 EPDM**



ZANUSSI 068799

- 3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm**
for Convection oven electric (CAPIC) AC150 - AC50
R50



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

- 3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm**



ZANUSSI 0E5037

ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

- 3160044 O-RING 03187 EPDM**



ZANUSSI 053809



ZANUSSI



Suitable for:

Suitable for:

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ZANUSSI 002873

Penetration probes

3397100 PENETRATION PROBE

2 wires - faston connection
probe length 140 mm
chamber internal cable 950 mm
chamber external cable 1500 mm
for Convection oven electric (ZANUSSI) FCS201E4
FCS202E4
for Convection oven gas (ZANUSSI) ACV/G201
ACV/G202 - ECV/G201 - ECV/G202 - FCS201G4
FCV/G20 - FCV/G201 - FCV/G202 - ZCV/G201
ZCV/G202



ZANUSSI 006174

3397209 PENETRATION PROBE

13 wires - connections
probe length 93 mm
lunghezza cavo interno camera 1500 mm
cable length ext. Chamber 950 mm
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G



ZANUSSI 0C1164

3397210 PENETRATION PROBE

13 wires - connections to connector
probe length 93 mm
chamber internal cable length 1500 mm
chamber external cable length 950 mm
from serial number 250
for Convection oven electric (ZANUSSI) AOS061E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G



ZANUSSI 006982

3397195 PENETRATION PROBE PT 1000

2 wires - faston connection
bulb ø 4x150 mm
cable length 1560 mm
for Convection oven (ZANUSSI) - Series ACF
Series ACV - Series ECF - Series ECV - Series FCF
Series FCS - Series FCV - Series NCF - Series NCV
Series ZCF - Series ZCV



ZANUSSI 006192



Suitable for:

Suitable for:

3397010 PENETRATION PROBE PT100
2 wires - connector fitting
probe length 185 mm
compartment internal cable length 900 mm
compartment external cable length 1550 mm
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FCV/E20P - FCV/E6
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCV/G20P - FCV/G6 - FCVA/G10
FCVA/G201 - FCVA/G203 - FCVA/G6



ZANUSSI 055472

3397013 PENETRATION PROBE PT100
2 wires - faston connection
probe length 160 mm
chamber internal cable length 1200 mm
chamber external cable length 1850 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACV/E10 - ACV/E201 - ACV/E202 - ECF/E10
ECV/E202 - ECV/E10 - ECV/E201 - FCF/E10
FCV/E10 - FCV/E201 - FCV/E202 - JCF/E10
NCF/E10 - RCF/E10 - RCVE101E4 - ZCF/E10
ZCV/E10 - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACF/G10
ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
FCS101G - FCS102G - FCV/G10 - JCF/G10
NCF/G10 - NCV/G10 - RCF102G - RCV101G4
ZCF/G10 - ZCV/G10



ZANUSSI 002821

3397015 PENETRATION PROBE PT100
2 wires - faston fitting
probe length 140 mm
compartment internal cable length 1000 mm
compartment external cable length 1550 mm
for Convection oven electric (ZANUSSI) ACF/E20
ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
FCF/E20 - FCV/E201 - FCV/E202 - ZCF/E20
ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACF/G20
ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
ECV/G202 - FCF/G20 - FCV/G201 - FCV/G202
ZCF/G20 - ZCV/G201 - ZCV/G202



ZANUSSI 003094

ZANUSSI 003853

3397012 PENETRATION PROBE PT1000
2 wires - faston fitting
probe length 140 mm
compartment internal cable length 530 mm
compartment external cable length 1550 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E6 - ACV/E10 - ACV/E6 - ECF/E10 - ECF/E6
ECV/E10 - FCF/E10 - FCF/E6 - FCFE/10 - FCS061E
FCV/E10 - FCV/E6 - JCF/E10 - JCF/E6 - NCF/E10
NCF/E6 - NCV/E6 - RCF/E10 - RCV/E6 - RCVE101E4
RCV061E2 - ZCF/E10 - ZCF/E6 - ZCV/E10 - ZCV/E6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G101 - ACF/G6 - ACV/G10 - ACV/G6 - BCV/G6
ECF/G10 - ECF/G6 - ECV/G10 - ECV/G6 - FCF/G10
FCF/G6 - FCS061G - FCV/G10 - FCV/G6 - JCF/G10
JCF/G6 - NCF/G10 - NCF/G6 - RCF061G - RCF102G



ZANUSSI 002673

Pilot burners and accessories

3020144 BRASS NUT M15x1



ZANUSSI 020997

3020077 FITTING FOR PIPE ø 4 mm



ZANUSSI 046755



ZANUSSI



Suitable for:

3020145 JET HOLDER M15



ZANUSSI 020988

ZANUSSI 051948

Suitable for:

3020144 BRASS NUT M15x1



ZANUSSI 020997

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



ZANUSSI

3020083 NUT & OLIVE ø 4 mm



ZANUSSI 052833

3020084 NUT & OLIVE ø 6 mm



ZANUSSI 052834

3020085 NUT FOR SPARKING PLUG CONNECTION



ZANUSSI 057960

3020082 OLIVE FOR 12 mm ø PIPE



ZANUSSI 027478

ZANUSSI 050682


ZANUSSI 054979

3020111 OLIVE FOR 4 mm ø PIPE



ZANUSSI 053665

3020081 OLIVE FOR 6 mm ø PIPE



ZANUSSI 053666

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



ZANUSSI 006725

3020201 PILOT GAS JET ø 0.14 mm



ZANUSSI 059216

3020044 PILOT GAS JET ø 0.20 mm



ZANUSSI 054037

ZANUSSI 054286



ZANUSSI



Suitable for:

Suitable for:

3020202 PILOT GAS JET ø 0.27 mm

3020043 PILOT GAS JET ø 0.36 mm



ZANUSSI 059215

ZANUSSI 003626

3020045 PILOT GAS JET ø 0.50 mm

3020054 PILOT JET ø 0.20 mm



ZANUSSI 054038

ZANUSSI 056799

3020156 PILOT JET ø 0.25 mm

3020157 PILOT JET ø 0.25 mm



ZANUSSI 058330

ZANUSSI 054593

3020040 PILOT JET ø 0.30 mm

3020055 PILOT JET ø 0.35 mm



ZANUSSI 053667

ZANUSSI 057388

ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

3020041 PILOT JET ø 0.41 mm

3020187 PILOT NOZZLE ø 0.51 mm



ZANUSSI 053670

ZANUSSI 053668

3020113 PILOT OLIVE TARGET ø 4 mm

3020114 PILOT OLIVE TARGET ø 6 mm



ZANUSSI 059161

ZANUSSI 003863



ZANUSSI



Suitable for:

Suitable for:

3020106 PILOT WITH 0.25 mm ø JET

3020107 PILOT WITH 0.35 mm ø JET



ZANUSSI 052281

ZANUSSI 052686

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)

3020200 THERMOCOUPLE NUT



ZANUSSI 059379

ZANUSSI 0C0121

ZANUSSI 003609

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Convection oven gas (ZANUSSI)

3020077 FITTING FOR PIPE ø 4 mm



ZANUSSI 054032

ZANUSSI 046755

3020085 NUT FOR SPARKING PLUG CONNECTION

3020111 OLIVE FOR 4 mm ø PIPE



ZANUSSI 057960

ZANUSSI 053665

3020044 PILOT GAS JET ø 0.20 mm

3020045 PILOT GAS JET ø 0.50 mm



ZANUSSI 054037

ZANUSSI 054286

ZANUSSI 054038



ZANUSSI



Suitable for:

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ZANUSSI 052610
ZANUSSI 059380

ZANUSSI 056720
ZANUSSI 059988

ZANUSSI 057410

Suitable for:

3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ZANUSSI 003859

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



ZANUSSI 0C0494
ZANUSSI 051976
ZANUSSI 058329

ZANUSSI 050813
ZANUSSI 054335

ZANUSSI 051624
ZANUSSI 057737

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



ZANUSSI 046755

3020054 PILOT JET $\varnothing$ 0.20 mm



ZANUSSI 056799

3020055 PILOT JET $\varnothing$ 0.35 mm



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ZANUSSI 0C0488
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ZANUSSI 052610
ZANUSSI 059380

ZANUSSI 056720
ZANUSSI 059988

ZANUSSI 057410

3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ZANUSSI 003859



Suitable for:

Suitable for:

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle $\varnothing$ 0.35 mm
with 3 positions bracket



ZANUSSI 050812

ZANUSSI 058329

3020054 PILOT JET $\varnothing$ 0.20 mm



ZANUSSI 056799

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ZANUSSI 0C0488
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ZANUSSI 003859

3020103 THREE-POSITION BRACKET



ZANUSSI 005618

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



ZANUSSI 046755

3020055 PILOT JET $\varnothing$ 0.35 mm



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ZANUSSI 052610
ZANUSSI 059380

ZANUSSI 056720
ZANUSSI 059988

ZANUSSI 057410

3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



ZANUSSI 003859



ZANUSSI



Suitable for:

Suitable for:

Potentiometers

3057322 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm
for Convection oven electric (ZANUSSI) FCS/E101EP
FCS/E101EX - FCS/061EX - FCS/102EP - FCS/102EX
FCS/201EP - FCS/201EX - FCS/202EP - FCS/202EX
FCV/E61/1 - ZCV/E61/1
for Convection oven gas (ZANUSSI) FCS/061GP
FCS/061G4 - FCS101GP - FCS101GX - FCS102GP
FCS102GX - FCS201GP - FCS201GX - FCS202GP
FCS202GX



ZANUSSI 0C0974

Pre-rinse units

3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M with coupling 3/8" M x 1/2" M




ZANUSSI 003175

3359347 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 100 cm stainless steel 18/10 double braid nickel plated brass coupling $\varnothing$ 1/2" F



ZANUSSI 0D2999

3359605 WHITE SHOWER HEAD NEW $\varnothing$ 1/2" F



ZANUSSI 003167

3359606 WHITE SPRAY CUP WITH FILTER



ZANUSSI 003164

Pressure gauges

3245010 PRESSURE GAUGE $\varnothing$ 52 mm fitting $\varnothing$ 1/4" M scale 0-6 bar for Convection oven electric (ZANUSSI) ACV/E10 ACV/E6 - ECV/E10 - FCS101E - FCV/E10 - FCV/E6 NCV/E10 - NCV/E6 for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6 FCS061G - FCS101G - FCV/G10 - FCV/G6 - NCV/G10 NCV/G6



ZANUSSI 058941

3349589 FITTING for new series for Convection oven (ZANUSSI)



ZANUSSI 006453



Suitable for:

ZANUSSI



Suitable for:

3350028 PRESSURE REDUCER VALVE $\varnothing$ 1/2"FF
for Convection oven (ANGELO PO) - Series FCV
Series FM



ZANUSSI 002678

Pressure regulators

3350028 PRESSURE REDUCER VALVE $\varnothing$ 1/2"FF
for Convection oven (ANGELO PO) - Series FCV
Series FM



ZANUSSI 002678

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH $\varnothing$ 1/4" M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for Convection oven gas (ZANUSSI) ACV/G10
ECV/G10 - ECV/G6 - FCS061G - FCS101G - FCS102G
FCV/G10 - FCV/G6 - NCV/G10 - ZCV/G10 - ZCV/G6



ZANUSSI 002635

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G20 - ECV/G10 - FCF/G20 - FCS101G
FCS102G - FCV/G10 - FCV/G20 - FDV20G - FDV40G
NCV/G10 - ZCV/G10 - ZCV/G20



ZANUSSI 002640

ZANUSSI 003772



Suitable for:

ZANUSSI



Suitable for:

Probes

3397028 CHAMBER TEMPERATURE PROBE

3 wires - loop-faston connection
bulb $\varnothing$ 4x70 mm
cable length 920 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E - AOS202E
EJN061E - EJN102E - EJN201E - EJN202E
FCZ061E - FCZ102E - FCZ201E - RDR061E
RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G - AOS202G - EJN201G
FCZ201G - RDR201G



ZANUSSI 0C0325

3397208 CHAMBER TEMPERATURE PROBE

3 wires - loop connection
bulb $\varnothing$ 4x70 mm
cable length 1180 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E - AOS202E
EJN061E - EJN101E - EJN102E - EJN201E
EJN202E - FCZ061E - FCZ102E - FCZ201E
RDR061E - RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS201G - AOS202G
EJN061G - EJN101G - EJN102G - EJN201G
EJN202G - FCZ201G - RDR061G - RDR101G
RDR201G



ZANUSSI 0C6539

3397207 CHAMBER TEMPERATURE SENSOR

3 wires - loop-faston connection
bulb $\varnothing$ 4x70 mm
cable length 570 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E - AOS202E
EJN101E - EJN102E - EJN201E - EJN202E
FCZ061E - FCZ102E - FCZ201E - RDR061E
RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS201G - AOS202G
EJN061G - EJN101G - EJN102G - EJN201G
EJN202G - FCZ201G - RDR061G - RDR101G
RDR201G



ZANUSSI 0C0324

ZANUSSI 0C6538

3397131 LAMBDA PROBE

bulb $\varnothing$ 12 mm - total length 85 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E - AOS202E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS201G - AOS202G



ZANUSSI 0C6465

ZANUSSI 006995

3445109 PROBE TCJ EC-SND-2312 3000 mm

2 wires - temperature range $-50+350^{\circ}\text{C}$
error limits $\pm 0.75\%$ below 0°C
30 seconds response time
bulb $\varnothing$ 6x100 mm
vetrotex cable



ZANUSSI 004116

3445070 PTC PVC PROBE 1500 mm

2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb $\varnothing$ 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583



Suitable for:

ZANUSSI



3397027 TEMPERATURE PROBE PT100

2 wires - connector fitting
bulb ø4x60 mm
cable length 1300 mm
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FCV/E202V-P - FCV/E6
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20 - FCVA/G6



ZANUSSI 058669

3397080

TEMPERATURE PROBE PT1000

2 wires - faston connection
probe length 275 mm
cable length 1800 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series NCV
Series RCV - Series ZCV
for Convection oven electric (ZANUSSI) CS10GE4
CS10GE6 - CS10LCE4 - CS10LCE6 - CS10ME4
CS10ME6 - CS20GE4 - CS20GE6 - CS20LCE4
CS20LCE6 - CS20ME4 - CS20ME6 - CS7GE4 - CS7GE6
CS7LCE4 - CS7LCE6 - CS7ME4 - CS7ME6



ZANUSSI 0C5342

ZANUSSI 002615

3440147 THERMOCOUPLE SENSOR 100 mm FOR "UL"

supplied with olive
terminal block connection
for Convection oven gas (MORETTI)
TIVOLI GAS HI-TECH - TREVIGAS



ZANUSSI 003439

Rating-plates

3399043 BLUE ELECTRONIC PLATE

dimensions 460x160 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS102E - AOS201E - AOS202E - AOS61E
for Convection oven gas (ZANUSSI) AOS101G
AOS102G - AOS201G - AOS202G - AOS61G



ZANUSSI 007057

3399045

GREY ELECTROMECHANICAL PLATE

dimensions 425x120 mm
for Convection oven electric (ZANUSSI) FCVE6-3CE



ZANUSSI 056673

Relays

1351021 RELAY G7L-2A-TUB 25A 240V

for Convection oven electric (ZANUSSI) AOS061E



ZANUSSI 088267

3351901

RELAY 60.62 10A 230V 50/60Hz

2 switching contacts



ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882



ZANUSSI



Suitable for:

3351605 RELAY 60.63 10A 230V 50/60Hz
3 switching contacts




ZANUSSI 056446
ZANUSSI 085296

ZANUSSI 056466
ZANUSSI 086214

ZANUSSI 056510

Suitable for:

3351008 RELAY 62.83 16A 230V 50/60Hz
3 switching contacts



ZANUSSI 0A9596
ZANUSSI 088197

ZANUSSI 005033

ZANUSSI 005034

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



ZANUSSI 0A2205
ZANUSSI 054376

ZANUSSI 0KT779

ZANUSSI 006712

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat



ZANUSSI 026945

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMAXI
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX



ZANUSSI 0A2227

ZANUSSI 003142

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



ZANUSSI 054375



Suitable for:

ZANUSSI




3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4



ZANUSSI 032677

3059057 SELECTOR SWITCH 0-1 POSITIONS
ON-OFF-START
16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (ANGELO PO) FC1011E
FC1221E - FC611E
for Convection oven gas (ANGELO PO) FC1011G
FC1221G - FC611G




ZANUSSI 048271

3057009 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 057934

3057010 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



ZANUSSI 057934

3057012 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 055365

3057136 SELECTOR SWITCH 0-6 POSITIONS
5 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6
for OVEN 6-10-20 SHELVES
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series NCV
Series ZCV
for Convection oven electric (WHIRLPOOL) ACV/E10C2
ACV/E20C4 - ACV/E202/1
for Convection oven gas (WHIRLPOOL) ACV/G10C2
ACV/G20C4 - ACV/G202/1C4 - ACV/G61C3



ZANUSSI 002661




ZANUSSI



Suitable for:

3057039 SELECTOR SWITCH 2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4



ZANUSSI 054324

Suitable for:

3057111 SELECTOR SWITCH 4 POSITIONS
5 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm



ZANUSSI 0H6387

3057116 SELECTOR SWITCH 4 POSITIONS
14 cams - contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm



ZANUSSI 0H6101

3057034 SELECTOR SWITCH 7 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4. $\varnothing$ 6 mm
for Convection oven electric (ZANUSSI)
since 1/01/91
FCF/E10 - FCF/E20
for Convection oven gas (ZANUSSI)
since 1/01/91
FCF/G10 - FCF/G20
since 1/01/87
FCF/G40



ZANUSSI 055017

Solenoid valves

3120292 FLOWRATE ADJUSTER $\varnothing$ 1.45 mm
for Convection oven (ZANUSSI)



ZANUSSI 002091

3120261 MULLER SOLENOID VALVE 230V $\varnothing$ 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - $\varnothing$ 12 mm outlet



ZANUSSI 0G2196

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ZANUSSI 0L0166

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ZANUSSI 0W2908



ZANUSSI



Suitable for:

Suitable for:

4007017 SOLENOID VALVE CEME 230V 50Hz
588 - connections with hose-end fitting
with coil 5536 13.5VA 230VAC 50Hz
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G



ZANUSSI 007017

3120255 SOLENOID VALVE 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - two outlets ø 10 mm
with red flowrate reducer at the outlet
for Convection oven (ZANUSSI)



ZANUSSI 047579

3120404 SOLENOID VALVE 230V ø 10.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
3/4" inlet - 1 outlet ø 10.5 mm



ZANUSSI 0C0688

ZANUSSI 0C4984

ZANUSSI 056350

3120406 SOLENOID VALVE 230V ø 10.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4"- 2 outlets ø 10.5 mm



ZANUSSI 069295

3120550 SOLENOID VALVE 240V ø 11.5 mm
solenoid valve 180° - 240V 6W - max 90°C
inlet 3/4" - outlet ø 11.5 mm
for Convection oven electric (RATIONAL)
since 1/01/08
Series CM
for Convection oven gas (RATIONAL)
since 1/01/08
Series CM



ZANUSSI 0C3254

3120013 SOLENOID VALVE 263 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm



ZANUSSI 047539

ZANUSSI 069296

ZANUSSI 047540

ZANUSSI 049077

3120014 SOLENOID VALVE 264 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm



ZANUSSI 0E0330

ZANUSSI 047538

ZANUSSI 069464

3120004 SOLENOID VALVE 319 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



ZANUSSI 0A2064

ZANUSSI 047531

ZANUSSI 0KM766

ZANUSSI 055350

ZANUSSI 002613



Suitable for:

Suitable for:

3120005 SOLENOID VALVE 329 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



ZANUSSI 002753 ZANUSSI 047756 ZANUSSI 048894
ZANUSSI 055132 ZANUSSI 086014

3120505 SOLENOID VALVE 329 24V ø 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



ZANUSSI 058996

3120006 SOLENOID VALVE 339 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 055444 ZANUSSI 056872

3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 0K5389 ZANUSSI 045631 ZANUSSI 046427
ZANUSSI 047536 ZANUSSI 069463

3120507 SOLENOID VALVE 349 24V ø 10 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 046796 ZANUSSI 048180

3120008 SOLENOID VALVE 350 220/240V ø 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



ZANUSSI 047529 ZANUSSI 047532 ZANUSSI 048178
ZANUSSI 048898 ZANUSSI 069179

3120511 SOLENOID VALVE 350 24V ø 14 mm
solenoid valve 90° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



ZANUSSI 0H2513 ZANUSSI 0L0175

3120009 SOLENOID VALVE 351 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



ZANUSSI 072282

3120512 SOLENOID VALVE 351 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



ZANUSSI 0E5070

3120010 SOLENOID VALVE 352 220/240V ø 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



ZANUSSI 049056



ZANUSSI



Suitable for:

Suitable for:

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



ZANUSSI 069262

ZANUSSI 072364

3120514 SOLENOID VALVE 353 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - two outlets ø 14 mm



ZANUSSI 0KZ810

3120104 SOLENOID-VALVE 319 220/240V ø 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14mm



ZANUSSI 048817

ZANUSSI 049626

ZANUSSI 088194

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



ZANUSSI 0A2073

ZANUSSI 003376

ZANUSSI 004240

ZANUSSI 051884

ZANUSSI 053647

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ZANUSSI 0A2097

ZANUSSI 003214

ZANUSSI 0K9979

ZANUSSI 004248

ZANUSSI 0M0476

ZANUSSI 054134

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ZANUSSI 003552

ZANUSSI 004251

ZANUSSI 054141



Suitable for:

ZANUSSI



Suitable for:

Sparkling and detection plugs

- 3020180 BOILER FLAME SPARKLING PLUG $\varnothing$ 9.5x110 mm**
overall length 130 mm
complete with silicone covered cable 1100 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1137

- 3020185 BURNER FLAME DETECTION PLUG**
 $\varnothing$ 9x54 mm - overall length 104 mm
complete with covered cable length 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1049

- 3020178 BURNER FLAME SPARKLING PLUG**
 $\varnothing$ 9.5x54 mm - overall length 95 mm
complete with silicone covered cable 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1134


ZANUSSI 0C1771

- 3020186 FLAME DETECTION PLUG $\varnothing$ 9x95 mm**
overall length 130 mm
complete with covered cable length 830 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1068

- 7102151 ROUND DETECTION PLUG $\varnothing$ 9x40 mm**
overall length 75 mm
complete with silicone coated cables 670 mm
for OVEN FCV/G6-ECV/G6-ZCV/G6-ACV/G6-RCV061G2-
FCS061G



ZANUSSI 005910

- 3020203 ROUND DETECTION PLUG $\varnothing$ 9x60 mm**
overall length 137 mm
for Convection oven gas (ZANUSSI)
since 1/01/95



ZANUSSI 002343

- 3020206 ROUND DETECTOR ELECTRODE $\varnothing$ 9.5x60 mm**
overall length 109 mm
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20



ZANUSSI 002638

- 3020124 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm**
female connection
overall length 58 mm



ZANUSSI 054336

ZANUSSI 056754



ZANUSSI



Suitable for:

3020205 **ROUND IGNITION ELECTRODE ø 9.5x60 mm**
overall length 90 mm
for Convection oven gas (ZANUSSI) FCV/G10L
FCV/G6L4



ZANUSSI 002637

Suitable for:

3001003 **ROUND SPARKING PLUG ø 7x44 mm**
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



ZANUSSI 0C0488
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

3020060 **ROUND SPARKING PLUG ø 7x44 mm**
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



ZANUSSI 052610
ZANUSSI 059380

ZANUSSI 056720
ZANUSSI 059988

ZANUSSI 057410

3020164 **ROUND SPARKING PLUG ø 9.5x60 mm**
overall length 104 mm
for Convection oven gas (ZANUSSI) FCS101 - FCS201
FCV/G101 - FCV/G20 - FCV/G201



ZANUSSI 0H6803

3020204 **ROUND SPARKING PLUG ø 9x60 mm**
overall length 96 mm
for Convection oven gas (ZANUSSI) FCV/G6L4
FCVMG62



ZANUSSI 002344

40C4461 **SPARKING AND DETECTION PLUG KIT**
ø 9.5x90 mm - overall length 130-140 mm
1 cable 440 mm long - 2 cables 240 mm long
for OVEN FCZ061G-FCZ101G-EJN061G-EJN101G-RDR061G-
RDR101G-AOS061G-AOS101G-AOS062G



ZANUSSI 0C4461

Supports

3391037 **LEVEL PROBE SPACER**
for Steam oven (ZANUSSI)



ZANUSSI 055347

3391038 **LEVEL PROBE SPACER**
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435



Suitable for:

3391040 MOTOR BASE
for Convection oven (ZANUSSI)



ZANUSSI 058729

Suitable for:

3391035 TRAY SUPPORT



ZANUSSI 031970

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole $\varnothing$ 25 mm



ZANUSSI 053978

ZANUSSI 058274

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm



ZANUSSI 053979

3319627 DOUBLE CHANGE OVER SWITCH 16A 250V



ZANUSSI 003766

3319160 GREEN BIPOLAR PUSH-BUTTON 16A 250V
with indicator lamp
flash silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



ZANUSSI 056717

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 053810

3319013 GREEN BIPOLAR SWITCH 16A 250V
with indicator lamp and switch cover
"0 - II" symbol screenprinted
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 053837



Suitable for:

ZANUSSI



Suitable for:

- 3319014 GREEN BIPOLAR SWITCH 16A 250V**
with indicator lamp and switch cover
"fan" symbol screenprinted
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 054552

- 3319928 GREEN BIPOLAR SWITCH 16A 250V**
with indicator lamp
max.temperature 120°C
Imounting hole ø 25 mm



ZANUSSI 054518

- 3319944 GREEN BIPOLAR SWITCH 16A 250V**
with indicator light
0-I silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



ZANUSSI 056703

- 3319011 RED TWO-POLE PUSH-BUTTON 16A 250V**
normally closed
with indicator lamp and push-button cap
max temperature 120°C
mounting hole 22x30 mm
for Steam oven gas (ZANUSSI)



ZANUSSI 054547

ZANUSSI 055014

- 3319151 SWITCH PROTECTION CAP**
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ZANUSSI 053979

- 3319297 PUSH-BUTTON EXTENSION**
external ø 7 mm
for circuit boards
for Convection oven electric (WHIRLPOOL)
for Convection oven electric (ZANUSSI)
for Convection oven gas (WHIRLPOOL)
for Convection oven gas (ZANUSSI)



ZANUSSI 002670

- 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V**
with protection cap
mounting hole ø 16 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (WHIRLPOOL) ACV/G10C2
ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
ACVG202/1C4
for Convection oven gas (ZANUSSI)



ZANUSSI 002418



Suitable for:

Suitable for:

- 3319151 SWITCH PROTECTION CAP**
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ZANUSSI 053979

Tangential fans

- 3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT**
230V 50/60Hz - ø 45 mm
QLK45/1200 A36-2513L-93



ZANUSSI 081795

- 3526150 TANGENTIAL FAN 180 mm LEFT**
230V 50/60Hz - ø 60 mm - 25 W
operating temperature -30°+135°C



ZANUSSI 0A2272

ZANUSSI 0A3008

Telethermometers

- 3441024 TELETHERMOMETER BLACK ø 52 mm 50-350°C**
metal body
covered capillary length 1500 mm
bulb ø 6x30 mm
for Convection oven



ZANUSSI 053808

ZANUSSI 056383

- 3441026 TELETHERMOMETER BLACK ø 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb ø 4x104 mm
for Convection oven



ZANUSSI 057622

ZANUSSI 058081

- 3441025 TELETHERMOMETER WHITE ø 52 mm 50-350°C**
metal body
capillary length 1500 mm
bulb ø 4x120 mm
for Convection oven



ZANUSSI 052987



Suitable for:

ZANUSSI



Suitable for:

Terminal blocks

3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543

3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ZANUSSI 053805

3247036 3-POLE TERMINAL BLOCK for CONV/ELECTRIC OVEN 4 SHELVES



ZANUSSI 054331

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ZANUSSI 054042

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046347

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 058613



ZANUSSI



Suitable for:

Suitable for:

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



ZANUSSI 002784

ZANUSSI 003528

ZANUSSI 056914

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



ZANUSSI 056574

3440015 INTERRUPTION CONNECTOR M9x1



ZANUSSI 005687

3440064 NUT FOR THERMOCOUPLE M8x1



ZANUSSI 055033

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ZANUSSI 0M0893

ZANUSSI 003281

3440045 THERMOCOUPLE ASA SIT 150 cm



ZANUSSI 056715

3440042 THERMOCOUPLE ASA SIT 85 cm



ZANUSSI 057343

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



ZANUSSI 055032

3440047 THERMOCOUPLE M8X1 75 cm



ZANUSSI 054102

ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



ZANUSSI 054102

ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

3440133 THERMOCOUPLE SIT M10x1 100 cm



ZANUSSI 0A2161

3440135 THERMOCOUPLE SIT M10x1 150 cm



ZANUSSI 0H6252



ZANUSSI



Suitable for:

3440126 THERMOCOUPLE SIT M10x1 75 cm



ZANUSSI 0H6251 ZANUSSI 0H6253

Suitable for:

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ZANUSSI 0U2960

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



ZANUSSI 0U2960

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



ZANUSSI 0U2960

3440031 THERMOCOUPLE SIT M8x1 120 cm



ZANUSSI 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ZANUSSI 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ZANUSSI 0K5730

3440032 THERMOCOUPLE SIT M8x1 150 cm



ZANUSSI 0G2023 ZANUSSI 051119

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ZANUSSI 0G2023 ZANUSSI 051119

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ZANUSSI 0G2023 ZANUSSI 051119

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ZANUSSI 050235



ZANUSSI



Suitable for:

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



ZANUSSI 050235

Suitable for:

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ZANUSSI 050235

3440028 THERMOCOUPLE SIT M8x1 60 cm



ZANUSSI 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 050856

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 0K5688

ZANUSSI 055106

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



ZANUSSI 0K5688

ZANUSSI 055106

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 0K5688

ZANUSSI 055106

3440029 THERMOCOUPLE SIT M8x1 85 cm



ZANUSSI 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ZANUSSI 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ZANUSSI 0G2906

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 052163



ZANUSSI



Suitable for:

Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

ZANUSSI LF-3440061

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1

3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI

ZANUSSI LF-3440061

3440037 THERMOCOUPLE SIT M9x1 100 cm .

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI 0K3464

ZANUSSI 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ZANUSSI 059064

ZANUSSI 059064



Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ZANUSSI 059064

Suitable for:

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ZANUSSI 020756

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1



ZANUSSI 020756

3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ZANUSSI 020756

3440034 THERMOCOUPLE SIT M9x1 50 cm



ZANUSSI 025204

ZANUSSI 027317

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ZANUSSI 025204

ZANUSSI 027317

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ZANUSSI 025204

ZANUSSI 027317

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ZANUSSI 025677

ZANUSSI 026273

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



ZANUSSI 025677

ZANUSSI 026273

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ZANUSSI 025677

ZANUSSI 026273



ZANUSSI



Suitable for:

Suitable for:

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ZANUSSI 052814

ZANUSSI 058386

ZANUSSI 028982

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ZANUSSI 028982

ZANUSSI 028982

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ZANUSSI 052814

ZANUSSI 058386

ZANUSSI 052814

ZANUSSI 058386

3440009 THERMOCOUPLE SIT M9x1 100 cm M8x1

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 052163

ZANUSSI 052163

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ZANUSSI 0M0893

ZANUSSI 003281

ZANUSSI 0M0893

ZANUSSI 003281



ZANUSSI



Suitable for:

3440000 UNIVERSAL THERMOCOUPLE LF 120 cm
12 slotted pieces kit



ZANUSSI 0S0056

Suitable for:

3440001 UNIVERSAL THERMOCOUPLE LF 90 cm
12 slotted pieces kit



ZANUSSI 0S0055

Thermostats

3444253 BIPOLAR THERMOSTAT 340°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x195 mm
for very old series
for Convection oven (ZANUSSI)



ZANUSSI 0S8222

3444121 MILLED GLAND FOR THERMOSTAT 9x1



ZANUSSI 027061

3444124 PROTECTION CAP
for security thermostat



ZANUSSI 0A2187

3444410 SINGLE-PHASE THERMOSTAT 0-255°C
D-shaped pin 6x4.6 mm
covered capillary length 1440 mm - 16A 230V
bulb $\varnothing$ 3x160 mm
for Steam oven (JUNO-RÖDER-SENKING) - Series 55



ZANUSSI 0H6241

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x129 mm
for Convection oven electric (FOINOX) J01011E
J01021E - J02011E - J02021E - J0611E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



ZANUSSI 004912

3444415 SINGLE-PHASE THERMOSTAT 176°C
with manual reset
covered capillary length 1450 mm - 16A 380V
bulb $\varnothing$ 4x110 mm - with bulb coupling $\varnothing$ 8.6x32 mm
for Steam oven (JUNO-RÖDER-SENKING) - Series 50
Series 54 - Series 55



ZANUSSI 0H6141



Suitable for:

3444266 SINGLE-PHASE THERMOSTAT 338°C

with manual reset
covered capillary length 830 mm - 16A 250V
button bulb $\varnothing$ 14x10 mm
for Convection oven (LAINOX)



ZANUSSI 002730

Suitable for:

3444312 SINGLE-PHASE THERMOSTAT 360°C

with manual reset
covered capillary length 1500 mm - 3 contacts 16A 250V
bulb $\varnothing$ 4x110 mm
for Convection oven (ZANUSSI)




ZANUSSI 003594

ZANUSSI 053980

ZANUSSI 057442

3444413 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb $\varnothing$ 3x160 mm
for Steam oven (JUNO-RÖDER-SENKING) - Series 50
Series 54



ZANUSSI 0K0646

ZANUSSI 0K0674

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Convection oven (LAINOX)
for Convection oven (ZANUSSI)



ZANUSSI 029918

ZANUSSI 057937

3444429 SINGLE-PHASE THERMOSTAT 50-280°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1270 mm - 16A 250V
bulb $\varnothing$ 3x200 mm
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005207

3444432 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Convection oven electric (LAINOX) CE041M
CE051M - CE071M - CE100M - CE200M - ME061M
ME101M - ME102M - ME201M - ME202M - VE061M
VE101M - VE102M - VE201M - VE202M
for Convection oven gas (LAINOX) CG051M - CG071M
CG100M - CG200M - MG061M - MG101M - MG102M
MG201M - MG202M - VG061M - VG101M - VG102M
VG201M - VG202M



ZANUSSI 056384

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Convection oven (BONNET)
for Convection oven (BOURGEOIS)
for Convection oven (ZANUSSI)



ZANUSSI 005421

3444753 SINGLE-PHASE THERMOSTAT 78°C

with automatic reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 3x230 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA - Series FDV



ZANUSSI 055367



Suitable for:

3444007 THERMOSTAT TR2 0-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb $\varnothing$ 3.5x190 mm



ZANUSSI 054323

Suitable for:

3444040 THREE-PHASE THERMOSTAT 100-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb $\varnothing$ 6x80 mm



ZANUSSI 052916

3444589 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1700 mm
bulb $\varnothing$ 6x75 mm
for Convection oven (ZANUSSI) - Series AOS
Series ECV - Series EJV - Series FCV - Series FCZ
Series RDR - Series ZCV



ZANUSSI 0C1147

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length 1120 mm - 10A 400V
bulb $\varnothing$ 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



ZANUSSI 0H6134

ZANUSSI 004919

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb $\varnothing$ 3x220 mm



ZANUSSI 004917

ZANUSSI 059235

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm
for Convection oven



ZANUSSI 0A2206

ZANUSSI 0A2236

3444044 THREE-PHASE THERMOSTAT 60-260°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb $\varnothing$ 4x130 mm
for Convection oven (ZANUSSI)



ZANUSSI 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb $\varnothing$ 4x130 mm



ZANUSSI 052099



Suitable for:

3444430 3-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 1650 mm - 16A 230V
bulb $\varnothing$ 6x80 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series FDV
Series NCV - Series ZCV
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4



ZANUSSI 002711

Suitable for:

3444446 3-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb $\varnothing$ 6x53 mm - nut coupling M10x1
for Convection oven (ZANUSSI) - Series AOS
Series EJV - Series FCZ - Series RDR



ZANUSSI 007042

Timers

3446075 TIMER P045 2 CAMS 230V 50Hz
cycle 120 minutes - D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ZANUSSI) - Series ACF
Series ACV - Series ACF - Series ECF - Series ECV
Series FCF - Series FCS - Series FCV - Series FDV
Series NCF - Series NCV - Series ZCF - Series ZCV
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV060M - FEV062M - FEV064M
FEV106M - FEV122M - FEV124M - FEV166M
for Convection oven gas (GIERRE) FEV057M - FEV061M
FEV063M - FEV123M



ZANUSSI 003833

3446070 TIMER P205 2 CAMS 230V 50/60Hz
cycle 144 minutes - D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ZANUSSI) - Series FCF
Series FCV - Series JCF
for Convection oven electric (ZANUSSI) FCF/E6
RCF061E



ZANUSSI 055366

3446010 TIMER P345 2 CAMS 230V 50/60Hz
cycle 30 minutes - D-shaped pin $\varnothing$ 6x4.6 mm
for old series
for Convection oven (ZANUSSI)



ZANUSSI 045909

3446001 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E4
FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D
FCFE40F - FCFE40UK - 4238N



ZANUSSI 003432

ZANUSSI 057936

ZANUSSI 029920

ZANUSSI 053817



Suitable for:

Suitable for:

3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ANGELO PO)
for Convection oven (ZANUSSI)



ZANUSSI 003431

3446095

TIMER 120 MINUTES CR5 M230

manually set mechanical timer
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ZANUSSI)



ZANUSSI 0H6118

3446016 TIMER 1806726 24V

electromechanical multiscale timer
programmable time range 6h-60"-6"-60 seconds-
6 seconds
white dial dimensions 72x72 mm
power supply 24V 50/60Hz
2 poles with contact capacity 6(4)A 250V
max room temperature -10+55°C
connection with 8-pin socket (included)
for Convection oven (ZANUSSI) FV4N
for Convection oven electric (ZANUSSI) FV4E
for Convection oven gas (ZANUSSI) FVGC4 - FV4G



ZANUSSI 053917

3446094

TIMER 60 MINUTES CR5 M229

manually set mechanical timer
manually set cycle 60 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



ZANUSSI 0H6117

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

ZANUSSI 083833



Suitable for:

ZANUSSI



Suitable for:

Vibrating pumps

- 40C5371 POMPA A VIBRAZIONE 230-240V 50/60Hz 35W**
entrata ø 7 mm - uscita ø 6 mm
MARCA DEFOND



ZANUSSI 0C2341

ZANUSSI 0C5371

ZANUSSI 0C9067

ZANUSSI 007018

Washing showers for ovens

- 3359416 COMPLETE OVEN WASH SHOWER SET**
flow rate 11 L/min at 4 bar
with stainless steel hose ø 1/2" FF 2000 mm
with shower support



ZANUSSI 0S0323

- 3359614 STAINLESS STEEL HOSE ø 1/2" FF 150 cm**
stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass coupling ø 1/2" F



ZANUSSI 0S0348

- 3359606 WHITE SPRAY CUP WITH FILTER**



ZANUSSI 003164

Water purification filters

- 3010617 PURITY CARTRIDGE C 500**
per trattamento acqua uso TECNICO



ZANUSSI 0S1056

- 3010601 PURITY CLEAN EXTRA 1200**
water softener suitable for DISHWASHERS
specific for WARM WATER
adjustable by-pass
capacity at 10°KH 3100 L
flow rate 300 L/h
max pressure 6 bar
min pressure 2 bar
operating temperature 4°C/60°C
pressure loss at flow rate 0.45 bar
size: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting
montaggio orizzontale o verticale



ZANUSSI 0S0803



Suitable for:

3010600 PURITY CLEAN 1200

water softener suitable for DISHWASHERS
specific for WARM WATER
adjustable by-pass
capacity at 10°KH 12000 L
flow rate 300 L/h
max pressure 6 bar
min pressure 2 bar
operating temperature 4°C/60°C
pressure loss at flow rate 0.45 bar
size: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting
montaggio orizzontale o verticale



ZANUSSI 0S0801

Suitable for:

3010604 PURITY ST 1200

water softener suitable COFFEE MACHINES-DISPENSERS
OVENS - ICE MAKERS
specific for ODOR REMOVAL
adjustable by-pass
capacity at 10°KH 13187 L
flow rate 200 L/h
max pressure 6.9 bar
min pressure 2 bar
operating temperature 4°C/30°C
pressure loss at flow rate 1.05 bar
dimensions: height 550 mm - ø 288 mm
weight: empty 18 Kg - full 24 kg
fittings: inlet ø 3/8" M - outlet ø 3/8" M
horizontal or vertical mounting



ZANUSSI 0S0682

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L ø 3/4"

stainless steel cylinder capacity 12 L
connection fittings 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt) 1.5 Kg
for average dishwashers and dispensers



ZANUSSI 0S0330

3010102 MANUAL WATER SOFTENER 12 L ø 3/4"

plasma welding
STAINLESS STEEL cylinder capacity 12 L
connection fitting 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt) 1.5 Kg
inlet water max temperature 60°C
for average dishwashers and dispensers,



ZANUSSI 0S0330

3010063 MANUAL WATER SOFTENER 20 L ø 3/4"

stainless steel cylinder capacity 20 L
connection fittings 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt) 3 Kg
for dishwashers, large automatic dispensers



ZANUSSI 0S0329

3010104 MANUAL WATER SOFTENER 20 L ø 3/4"

plasma welding
STAINLESS STEEL cylinder capacity 20 L
connection fitting 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt) 3 Kg
inlet water max temperature 60°C
for dishwashers, large dispensers,



ZANUSSI 860430



Suitable for:

ZANUSSI



3010060 MANUAL WATER SOFTENER 8 L ø 3/4"
stainless steel cylinder capacity 8 L
connection fittings 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt) 1 Kg
for cup washers, small automatic dispensers



ZANUSSI 0C1903

3010101 MANUAL WATER SOFTENER 8 L ø 3/4"
plasma welding
STAINLESS STEEL cylinder capacity 8 L
connection fitting 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt) 1 Kg
inlet water max temperature 60°C
for cup washers, small automatic dispensers



ZANUSSI 0C1903

3010094 WATER SOFTENER"MATI 12" 12 L ø 3/4"
AUTOTROL chronometric head 255/440i
230V 50Hz
time programmer mod.440 (weekly)
operating temperature 2°÷35°C
cylinder capacity 11.8 L - resin content 8 L
salt container 30 kg
regeneration salt(NaCl-table salt) 1.5 Kg
inlet/outlet fittings 3/4"
dimensions: width 260 mm - depth 480 mm
height without head 435 - overall height 650 mm
We recommend to use always a mechanical filter
before the softener in order to remove
impurities from the water
impurità presenti nell'acqua



ZANUSSI 0S0332

3010074 WATER SOFTENER"MATI 8" 8 L ø 3/4"
AUTOTROL chronometric head 255/440i
230V 50Hz
time programmer mod.440 (weekly)
operating temperature 2°÷35°C
cylinder capacity 8.5 L - resin content 5.4 L
salt container 20 kg
regeneration salt(NaCl-table salt) 1 Kg
inlet/outlet fittings 3/4"
dimensions: width 200 mm - depth 430 mm
height without head 335 - overall height 550 mm
We recommend to use always a mechanical filter
before the softener in order to remove
impurities from the water
impurità presenti nell'acqua



ZANUSSI 0S0716